

<b>Codigo</b>	<b>Descripcion</b>	<b>Stock</b>
ABB1SFA611100R1001	MODULAR PUSHBUTTON - MOMENTARY - FLUSH - RED - NON-ILLUMINATED - BLACK PLASTIC - MP1-10R PUSHBUTTON ABB	6
ABB1SFA611100R1002	MODULAR PUSHBUTTON - MOMENTARY - FLUSH - GREEN - NON-ILLUMINATED - BLACK PLASTIC MP1-10G PUSHBUTTON ABB	1
ABB1SFA611100R1101	MODULAR PUSHBUTTON - MOMENTARY - FLUSH - RED - ILLUMINATED - BLACK PLASTIC - MP1-11R PUSHBUTTON	1
ABB1SFA611100R2001	MODULAR PUSHBUTTON - MOMENTARY - FLUSH - RED - NON-ILLUMINATED - CHROME PLASTIC - MP1-20R PUSHBUTTON ABB	3
ABB1SFA611400R1003	MODULAR PILOT LIGHT - PILOT LIGHT HEAD - YELLOW - ILLUMINATED ML1-100Y PILOT LIGHT ABB	1
ABB1SFA611605R1101	MODULAR CONTACT BLOCK WITH HOLDER MCBH-10 CONTACT BLOCK ABB	1
ABB1SFA611605R1200	MODULAR LAMP BLOCK MCBH-001 LAMP BLOCK ABB	1
ABBOFAF000H63	Fuse Link Size NH000, gG ABB	9
AECOSC18SMCE10PNPNONC	CAPACITIVE SENSOR SC18SM-CE10 PNP NO+ NC 10..40 VDC, 200 mA, 10 Hz, AECO C18000064	1
ALL-W47	Termico Element Heater Overload Relay Allen Braley W47	5
ALLE300BOD930	AC Contactor ,Coil Voltage: 120V 60Hz / 110V 50Hz Allen-Bradley	2
ALLE4038281601	FUSE 40382-816-01 ALLEN BRADLEY	1
ALLE440KT11211	SAFTEY INTERLOCK SWITCH TROJAN 5 GD2 CONTACTS 2 NORMALLY CLOSED 1 NORMALLY OPEN ALLEN BRADLEY	2
ALLE800EMLMJP24	PUSHBUTTON 22.5MM RED ALLEN BRADLEY	3
ALLE800FPSM32PX11	SELECTOR DE 3 POSI N° 800FP-SM32PX11 C/RETEN 22 MM A BRADLEY	6
ALLE800TFX6A4	SERIES RED METAL 2-POSITION NON-ILLUMINATED PUSH PULL BUTTON ALLEN BRADLEY	1
ALLE800TQ24G	LIGHT PILOT 24 VOLTS AC/DC 30.5MM TYPE 4/13 PILOT LIGHT GREEN ALLEN BRADLEY	1
ASCO8353J039	ASCO Válvula Solenoide de 2 vías 1 1/2" 8353J039 (120/60-110/50Hz)	1
ASCOINWB109108021	NUMATICS PUSH-IN FITTING 1/8" TUBE X 1/4" WT MALE SWIVEL ELBOW ASCO	10
ASHC251009SWL02L3000	PRESSURE GAUGE 251009SWL02L3000 ASHCROFT	4
ATECDDR2	2GB DDR2 Desktop Memory RAM Module	10
AUTOAT8N	Timer, Analog, 6-Mode, Multi-Range, DPDT or SPDT Timed/Instant.,100-240VAC/ 24-240VDC AUTONICS	6
AUTOBX5MMFR	SENSOR, FOTO, RETRORREFLECTANTE, CLARO Y OSCURO ENCENDIDO, SALIDA DE RELÉ, TEMPORIZADOR, 24-240 VCA Y VDC AUTONICS	1
AUTOCLD32	CONECTOR M12 CLD3-2 AUTONIC	12
AUTOD1SCN	DIGITAL INDICATOR D1SC-N AUTONICS 12-24 VDC	14
AUTOPRL3015DP	SENSOR INDUCTIVO Sn15mm TAMAÑO CORTO M30 MONTAJE NO RASANTE PNP NA 12-24VCC	7
AUTOPRW185DN	SENSOR, INDUCTIVE PROX, 18MM ROUND, SHIELDED, DC, NPN, NO, 3 WIRE, CABLE&CONNECTOR, 12 - 24 VDC AUTONICS	1
AUTOTC4L24R	TEMPERATURE CONTROLLER, PID, DIN 96X96, ALARM 1 + 2, RELAY, SSRP OUTPUT, 100 TO 240 VAC AUTONICS	1
AUTOTC4S24R	TEMPERATURE CONTROLLER, PID, DIN 48X48, ALARM 1 + 2, RELAY, SSRP OUTPUT, 100 TO 240 VAC AUTONICS	11
AUTOTZ4SP14C-C	CHINA PID TEMP. CONTROLLER, 48x48MM(PLUG TYPE), EVENT1 OUTPUT, 100-240VAC, CURRENT OUTPUT(DC4-20MA), AUTONICS TZ4SP-14C	1
BALD7111296	FILTRO DE COMBUSTIBLE PARA BOMBA CAV DPA 7111-296 BALDWIN	3
BALLBES0068	INDUCTIVE SENSOR 24 DC V 200mA 3 WIRE M12X1mm BES M12MI-PSC40B-S04G BALLUFF	3
BALLBFO005M	CABLE DE FIBRA OPTICA BFO D22-LA-KB-EAK-10-02	3

BANN26952	SM31ELQD BANNER 26952 MINI-BEAM: Emitter Range: 30 m; Input: 10-30 V dc 4-pin M12 Integral QD	1
BANN58979	Engineering Sensor Reflector BRT-84 BANNER	2
BANNSM312DQD	FOTOSENSOR BANNER PROXIMIDAD DIFUSA SN 380mm LUZ ROJA PNP/NPN 30vcc 4 CONDUCTORES BANNER 26834	11
BAUM08P1703O2S35L	Inductive proximity switch IFFM 08P1703/O2S35L Baumer	2
BERMJDM116H	DIGITAL COUNTER 6 DIGITS BERME	4
BIND9904294404	CONNECTOR M12x14p SERIE 713-1 BINDER	145
BUSSHPGHOLDER	PORTAFUSIBLE HPG HOLDER BUSSMANN	1
BUSSPCC3	FUSE PC-TRON 3 AMP 250V BUSSMANN	6
CAMF3030	AIR FILTER 1-866-4 CAMFIL	8
CAMO65606	Camozzi 6560 6 Push in fitting-equal tube Y-6mm tube	9
CAMOGMCU906-1/4-10	Flow regulating valves GMCU 906-1/4-10 CAMOZZI	10
CARLEC3025TBAPL	PROXIMITY SWITCH EC3025TBAPL CARLO GAVAZI	8
CASTFLUX157	FLUX 157 LIQUID FLUX POR SOFT SOLDERING FLUX157 CASTOLIN EUTECTIC	1
CEMBPKE7508AZ	TERMINAL PUNTA 1,5mm AISLADO 20-22AWG AZUL CEMBRE	300
COMPJ81004S41	NIPPLE BODY -D.I. -SUPER-B COMPUTER	1
CONTDWAD603M12120	Classic Inductive Sensor MFGD DW-AD-603-M12-120 Contrinex	1
CONTDWAD703M12	Contrinex DW-AD-703-M12 M12 Inductive Proximity Sensor	7
CONTDWAD713M12	SENSOR INDUCTIVO Sn 10mm TODOS LOS METALES TAMAÑO M12 TOTALMENTE ENCAP	5
CONTDWAS513M8001	CONDUCTORES LATON NIQUELADO SERIE DW-AS-513-M8-001	3
CONTDWAS613M18002	SENSOR INDUCTIVO Sn 8mm TAMAÑO M18 ESTANDAR MONTAJE NO RASANTEPNP NA 10-30 Vcc CONECTOR MACHO M12 LATON NIQUELADO	1
CONTDWAS703M12	Contrinex DW-AS-703-M12 M12 Inductive Proximity Sensor	6
CONTSIUNIENCONDER	SI-Universal-Encoder-Plus System Control Technique	2
CR50409	ESTOPERA CR	2
CRAT1735	Crathco® 1735 Pump Cover For 1008 Impeller	16.19
CROUTLR1	Multifunction timer 88 865 155 SPDT CROUZET	1
CROUTMC285	CONECTOR 3/4 NPT CROUSE HINDS	1
CROWC011306	CHARGER INTERFACE SOFTWARE AND COMMUNICATIONS KIT C011306	1
CROWS011567S	SENSOR AMONIACO DETECTOR GASES CROWCON	1
CUMM4096827	ESTOPERA 180,00x 240,00x 18,00mm	3
DANF003N2132	VALVULA TREMOSTATICA DE AGUA AVTA 15, G, 1/2	2
DANF017500166	PRESOTATO RT1A: IP66-Rango Regu [bar] Pe: -0.80 - 5.00; Presion Dif [bar]: 0.50 - 1.60, Conex G 3/8; Rearme Auto; Pmax	4
DANF017520366	Pressure switch, Type: RT116, Reset function: Auto, Contact function: SPDT DANFOSS	4
DANF017523766	Pressure switch, Type RT200, Reset function Auto Contact function: SPDT, Regulation range Pe: 2 DANFOSS	7
DANF017529166	Presostato, RT110 Rango regulación [bar] Pe: 0.20 - 3.00, Difer [bar]: 0.08 - 0.25, conex Presión: 3/8,	4

DANF018F4517	Solenoid coil Supply voltage [V] AC: 24, BQ024CS, 13.5 mm	2
DANF018F4519	Solenoid coil, Supply voltage [V] AC: 110 - 120, Type: BQ120BS, Enclosure rating IP: IP65 DANFOSS	5
DANF018F6192	Bobina para solenoide, BE110CS, Pala DIN, 110 V ; IP20	4
DANF018F6260	Solenoid coil, Type: BF115CS, Supply voltage [V] AC: 115, Enclosure rating IP: IP67 DANFOSS	49
DANF018F6264	Solenoid coil, Type: BF220BS, Supply voltage [V] AC: 220, Enclosure rating IP: IP67 DANFOSS	40
DANF018F6265	Solenoid coil, Type: BF024BS, Supply voltage [V] AC: 24, Enclosure rating IP: IP67 DANFOSS	7
DANF018F6714	BOBINA 220V 60Hz DANFOSS	19
DANF018F6730	Bobina para solenoide, BE110CS, Caja de terminales, 110 V; IP67,	4
DANF018F6732	Bobina para solenoide, BE230CS, Caja de terminales; [V] c.a.: 220 - 230,	8
DANF018F6857	BOBINA SOLENOIDE 24 VCC CONEX CAJA TERMINALES, BG024DS	2
DANF018F6968	Solenoid coil, Type: BN024DS, Enclosure rating IP: IP00, Coil connection DANFOSS	2
DANF018F7363	BOBINA 230V 60Hz 10,0W TIPO BB230CS	4
DANF0202001	VALVULA RETENCION 3/4 " 400psi V/H ACERO DANFOSS NVRA-20	1
DANF023U1392	Filter drier, core, 48-DM DANFOSS	1
DANF023Z0193	Hermetic filter drier DANFOSS	1
DANF027B0920	VALVULA PILOTO -0.66 - 7.0 bar PRESION CONST-TIPO CVP (LP) -50 a 120oC PMAX: [bar]: 52.0,- REEMPLAZA 027B1100 Y 027B1164	4
DANF027B1120	VALVULA PILOTO EVM DANFOSS	6
DANF027F2130	DISPOSITIVO DE APERTURA MANUAL DANFOSS	1
DANF027H2061	VALVULA REGULADORA ICS1 25-25 DANFOSS	6
DANF027H4032	VALVULA REGULADORA 1-1/2" NPT 2 VIAS 400psi ACERO DANFOSS PM3-40	2
DANF027H7121	VALVULA REGULADORA 4" 943psi R/R ACERO ICS 100	1
DANF027H7197	JUEGO RECAMBIO VALVULA REGULADORA ICS-150	1
DANF027L4017	VALVULA REGULADORA DN40 754PSI S/S ICF 40-6 DANFOSS ACERO-ICF 25-6-1RB	1
DANF031E020266	CS Pressure Switch M/30 max pres 87 psig conex 1/4 DANFOSS	1
DANF031E021066	CS Pressure Switch M/30 max pres. 87 psig conex 1/2 DANFOSS	1
DANF031E022066	CS Pressure Switch M/30 max pres 174 psig conex 1/4 DANFOSS	2
DANF031E023066	CS Pressure Switch M/30 max pres 174 psig conex 1/2 DANFOSS	2
DANF031E024066	CS Pressure Switch M/30 max pres 290 psig conex 1/4 DANFOSS	3
DANF031E025066	CS Pressure Switch M/30 max pres 290 psig conex 1/2 DANFOSS	2
DANF032F6210	Solenoid valve, EVRA 10 NC, Inlet connection type: Flange, Outlet connection type: Flange, 032F6210 DANFOSS	4
DANF032F6215	Solenoid valve, EVRA 15 Outlet connection type: Flange, Cv value [gal/min]: 3.120, Kv 032F6215 DANFOSS	4
DANF032F6216	VALVULA SOLENOIDE EVRAT 15 CONEX. ENTRA: BRIDA Y SAL BRIDA , Kv [m³/h]: 2.700	3
DANF032F6220	Solenoid valve, EVRA 20 032F6220 DANFOSS	4
DANF032F6225	Solenoid valve, EVRA 25 032F6225 DANFOSS	3

DANF032U1241	VALVULA SOLENOIDE 3/8"NPT 2/2VIAS 24Vdc AIRE 30bar BRONCE EVSI 6	2
DANF032U1251	VALVULA SOLENOIDE EV220B, G, 1/2, EPDM, NC 2VIAS AIRE	7
DANF032U1252	VALVULA SELENOIDE EV220B 10BG 1/2" DANFOSS	6
DANF032U3606	valvula solenoide 3/8 DANFOSS 032U3606	3
DANF032U3618	Solenoid valve, Type: EV210B, Function: NC, Connection size [in]: 1/2 DANFOSS	5
DANF032U3621	VALVULA SOLENOIDE, EV210B, G, 3/4, EPDM, NC ;LATON DZR, ACC DIR, N° VIAS: 2/2	1
DANF032U3622	Solenoid valve, Type: EV210B, Function: NC, Connection size [in]: 3/4 DANFOSS	3
DANF032U3624	Solenoid valve, Type: EV210B, Function: NC, Connection size [in]: 1 DANFOSS	11
DANF032U3801	Solenoid valve, Type: EV215B, Function: NC, Connection size [in]: 1/4 DANFOSS	2
DANF032U3805	Solenoid valve, Type: EV225B, Function: NC, Connection size [in]: 1/2 DANFOSS	8
DANF032U3806	VALVULA SOLENOIDE 2/2 VIAS 3/4 DE TIPO EV225B S/BOBINA TEFLON 140Psi MAX	11
DANF032U3807	Solenoid valve Type EV225B Function NC Connection size [in]: 1 DANFOSS 032U3807 DANFOSS	4
DANF032U5702	Solenoid valve, Type: EV210B, Function: NC, Connection size [in]: 1/8 DANFOSS	6
DANF032U5708	Solenoid valve, Type: EV210B, Function: NC, Connection size [in]: 1/4 DANFOSS	4
DANF032U7122	Válvula solenoide, EV220B, G, 3/4, EPDM ; Homologación: ACS; ; GL; PZH; WRAS; LATON Servoaccionada (diafragma),	3
DANF032U7125	Válvula solenoide, EV220B, Función: NC, G, 1, EPDM 032U7125 Danfoss	3
DANF032U7150	VALVULA SOLENOIDE, EV220B, CONEX G 2, LATON, SERVOACCIONADA VIAS 2/2	5
DANF032U8504	Solenoid valve, EV220B, Function: NC, G, 1 1/2, EPDM 032U8504 DANFOSS	3
DANF032U8550	Solenoid valve, EV220B, Function: NC, NPT, 1/2, EPDM 032U8550 DANFOSS	4
DANF042N0139	CONECTOR DE CABLE BOBINA 9-22 AB / AC	15
DANF042N4459	VÁLVULA NEUMÁTICA 2" G AV 210 A INOXIDABLE BIDIRECCIONAL	4
DANF060110166	PRESOSTATO KP1 220Vca-cc 8A 60,0Hz IP44 G1/4" 0,2-7,5bar	2
DANF060117366	Presostato KP5 Danfoss 060-117366 Rango regulación 8 – 32 Bar Diferencial 3 Bar 1/4 IP30 Presión de trabajo máx 35 Bar	8
DANF060118966	Pressure switch, Type: KPI36 DANFOSS	54
DANF060121766	Pressure switch, Type: KPI35 DANFOSS	41
DANF060310466	060-310466, DANFOSS, PRESSURE SWITCH, KPS33	1
DANF060508166	Pressure switch, Type: KPI38 DANFOSS	3
DANF060G1045	TRASMISOR DE PRESION AKS 3050 10-30V DANFOSS	3
DANF060G2101	TRANSMISOR PRESION -1/12bar 10/30Vdc 4/20mA 1/4" NPT AKS 33 DANFOSS AC	1
DANF060G2115	PRESSURE TRANSMITTER, SENSOR AKS 33 1/4 NPT, 0-25BAR, MALE AND FEMALE CONEXION, DANFOSS 060G2115	3
DANF068G6135	VALVULA EXPANSION TERMOSTATICA 1/2x 1/2 TONELADA TEA 20-20 R717 70kW--20 A 30°C SOLDAR/SOLDAR ACERO	2
DANF068G6139	VALVULA EXPANSION TERMOSTATICA 1/2x 1/2 TONELADA TEA 20-8 R717 28kW -2-0 A 30°C SOLDAR/SOLDAR ACERO	2
DANF068G6141	VALVULA EXPANSION TERMOSTATICA 3/4x 3/4 TONELADA TEA 85-33 R717 115kW -20 A 30°C SOLDAR/SOLDAR ACERO	2
DANF080G5004	Control de válvula electrónica, EKE 400 hmi 24 V 080G5004 DANFOSS	1

DANF084B8523	CONTROLLER EKC202 230V CA DANFOSS	3
DANF130B1078	CONTROL PANEL LCP 102 1P66 DANFOSS	3
DANF130B1100	TARJETA COMUNICACION VLT® Profibus DP V1 MCA 101	34
DANF130B1102	TARJETA DE COMUNICACIÓN VLT® MCA 104 DANFOSS	1
DANF130B1107	VLT® Control Panel LCP 102 ILLUMINATED GRAPHIC DISPLAY WITH PLAIN TEXT DANFOSS	4
DANF130B1108	TARJETA ELECTRONICA 24Vcc RESPALDO VLT FC-300	6
DANF130B1219	VLT® EtherNet IP MCA 121, coated	24
DANF130B1945	POWER CARD 37kW 500V DANFOSS	3
DANF130B1955	DC LINK CARD 30+37kW 400/500V DANFOSS	2
DANF131B0006	VARIADOR FRECUENCIA FC-302P4K0T5E20H1BXXXXXSXXXXAXBXXXXDX 4.0 KW / 5.5 HP, 380 - 500 VAC DANFOSS	1
DANF131B0080	VARIADOR FRECUENCIA FC-302P4K0T5E20H2XGXXXXXSXXXXAXBXXXXDX 4,0kW-5HP, 380-500V DANFOSS	1
DANF131B0259	VARIADOR FRECUENCIA FC-302P1K5T2E20H1BXCXXXSXXXXAXBXXXXDX 1.5 KW / 2.0 HP, 200 - 240 VAC DANFOSS	1
DANF131B0282	DANFOSS 131B0282 IP20 0.75 KW, (2) 200 - 240 VAC FC-302PK75T2E20H2XXXXXSXXXXAXBXXXXDX	1
DANF131B0284	VARIADOR FRECUENCIA FC-302P1K5T2E20H2XXXXXSXXXXAXBXXXXDX 1.5 KW / 2.0 HP, 200 - 240 VAC DANFOSS	1
DANF131B0286	VARIADOR FRECUENCIA FC-302P3K0T2E20H2XXXXXSXXXXAXBXXXXDX 3,0kW, Trifásica 200-240V, IP20	1
DANF131B0287	VARIADOR FRECUENCIA FC-302P3K7T2E20H2XXXXXSXXXXAXBXXXXDX 3.7 KW / 5.0 HP, 200 - 240 VAC DANFOSS	1
DANF131B0518	VARIADOR DE FRECUENCIA FC-302P1K5T5E20H1XXXXXSXXXXA0BXXXXDX DANFOSS	1
DANF131B0519	VARIADOR FRECUENCIA FC-302P1K5T5E20H1XXXXXSXXXXA4BXXXXDX 1,5kW-2HP, 380-500V DANFOSS	1
DANF131B0734	FC-302P5K5T5E20H1BGXXXXXSXXXXAXBXXXXD0 5,5KW/7HP-380-500V Chopper de frenado/Panel cont. local gráf	3
DANF131B1690	VARIADOR FRECUENCIA FC-302P15KT5E21H1BXXXXXSXXXXAXBXXXXX 15kW-20HP, 380-500V,	1
DANF131F0049	VARIADOR FRECUENCIA 7,5kW 200/240Vac FC302P7K5T2E55H1BGXXXXXSXXXXAXBXXXX	2
DANF132B0101	VLT® Control Panel LCP 12, C/Potenciometro para los FC-051	5
DANF132B0254	PANEL CONTROL FC-280; VLT® Control Panel LCP 21, numeric	1
DANF132F0026	FC-051P4K0T4E20H3BXCXXXSXXX 4,0kW/5Hp, (T) Trifásica380-480V CA, (B) Chopper de frenado,	1
DANF132F0028	FC-051P5K5T4E20H3BXCXXXSXXX 5,5kW/7,5Hp, (T) Trifásica380-480V CA, (B) Chopper de frenado	2
DANF134B1726	CONTROL CARD WITH SAFE STOP FOR FC-302 DANFOSS	3
DANF148B3746	VALVULA MANOMETRICA , SNV-ST STOP NEEDLE VALVE	14
DANF148B3778	VALVULA MANOMETRICA Needle Valve, SNV-ST	3
DANF148B4180	VALVULA AGUJA INDICADOR SNV-ST 1/4" NPT BRONC 600PSI ROSCAR/ROSCAR HEMBRA-MACHO	30
DANF148B4181	Válvula con indicador, SNV-ST	30
DANF148B5221	VALVULA DE GLOBO 1/2" 148B5221 DANFOSS	3
DANF148B5230	Válvula de cierre, SVA-S 15 Tipo conex. ENTRAD/SALIDA Soldar acero a top, Tipo conex. REEMPLAZA 148B3402	2
DANF148B5321	VALVULA GLOBO 3/4" 148B5321 DANFOSS/ REEMPLAZO 148B3452	6
DANF148B5332	Shut-off valve, SVA-S 20, Steel, Max. Working Pressure [psig]: 754 148B5332 DANFOSS	1

DANF148B5432	Shut-off valve, SVA-S 25, Steel, Max. Working Pressure [psig]: 754 148B5432 DANFOSS	4
DANF148B5460	VALVULA CIERRE , SVA-L 25 GLOBO 1 " ACERO 754psi SOLDAR/SOLDAR ACERO VOLANTE SERIE SVA-L	2
DANF148B5620	Shut-off valve, SVA-S 40, Steel, Max. Working Pressure [psig]: 754 148B5620 DANFOSS	6
DANF148B6020	VALVULA GLOBO 4" ACERO 52bar/754 psi SOLDAR/SOLDAR ACERO REEMPLAZA 148B3111-DANFOSS	3
DANF148B6030	Válvula de cierre, SVA-S 100, Presión de trabajo máx. [bar]: 52.0, Volante 148B6030 Danfoss	2
DANF148B6130	Shut-off valve, SVA-S 125, Max. Working Pressure [bar]: 52.0, Handwheel 148B6130 DANFOSS	1
DANF148B6153	KIT DE REEMPLAZO SVA DN 50	4
DANF148B6155	Kit de reacondicionamiento, SVA 80 Overhaul kit DN 80 REMMPLAZO 148B4019	2
DANF175G9001	MODULO COMUNICACION INTERFASE PROFIBUS DANFOSS	1
DANF2512050	LIQUID LEVEL GLASESS LLG 335 DANFOSS	1
DANF2512052	LIQUID LEVEL GLASESS LLG 740 DANFOSS	1
DATA95B060770	SENSOR INDUCTIVO Sn 5mm TAMAÑO M18 MONTAJE RASANTE NA 24-240V DATALOGIC	10
DATAG5210830	SENSOR REFLECTIVO TIPO NA 24 Vdc S5-5-E1-30R.P.FO PART. G5210830	1
DATAQS00	Datalogic Temperature Controller, QS-00	1
DATSS5NPA2E01PP	PHOTOELECTRIC TUBULAR 4-wire NO-NC NPN or PNP output S5N M18 SENSOR S5N-PA-2-E01-PP 952001131 DATASENSING	6
DD430J18	D&D POWERDRIVE 430J18 POLY V BELT	4
DELTEFB1324SHE	VENTILADOR 24V 1.38A DELTA ELECTRONICS	1
DEUB355021222	DEUBLIN 355-021-222 UNION CG/G 1 BSP RH	1
DFEL420004	Fuse Link Cylindrical 10x38 gG 4A DF ELECTRIC	22
DFEL422032	Fuse Link Cylindrical 22*58.gG 32a. DF ELECTRIC	20
DONAP553000	Donaldson oil filter P553000	1
DROP118205	CONNECTING BLOCK 3 WAYS 1/8 "BPS MALE / FEMALE DRP00-3604 118205	2
EATOLS11ZB	INTERRUPTOR LIMITADOR SEGURIDAD LS-11-ZB EATON	3
EMER059542	ELEMENTO FILTRO H-48 GAS 410 140x 45x 94mm 059542 EMERSON	1
EMEREK164S	FILTRO SECADOR 1/2" GAS REFRIGERANTE SOLDAR EK-164S EMERSON	1
ENDRFTL50HAMC2AC2G6A	INTERRUPTOR DE NIVEL COMPACTO LIQUIPHANT ENDRESS HAUSER	1
ENDRPMC11AA1U1FJVXJA	TRANSMISOR PRESION PMC11-AA1U1FJVXJA-ENDRESS+HAUSER	1
ENDRPMC131A12F1D10	TRANSDUCTOR DE PRESIÓN ENDRESS HAUSER	1
ENDRPMC511HH70125	PRESSURE SWICHT CERABAR M PMCS1 ENDRESS HAUSER	1
ENDRTR10APA3CASCHC000	RTD THERMOMETER TR10 ENDRESS HAUSER	3
EPSOEX7260	Epson Pro EX7260 WXGA 3,600 Proyector Inalámbrico HDMI MHL 3LCD	1
EXCEGFEMV3M	INTERRUPTOR NIVEL 120/220V 4A 3M CONTROL NIVEL TANQUE AGUA SISTEMA HID RONEUMATICO	1
EXTE445703	TERMOMETRO HIGOMETRO 445703 EXTECH	5
FERRATM2	FUSE, FAST ACTING, 2A, 600V, 10X38 FERRAZ SHAWMUT	22

FEST10191	Front panel valve SVOS-3-1/8 FESTO	1
FEST10352	EXHAUST AIR FLOW CONTROL VALVE GRE-1/4 FESTO	2
FEST10410	Solenoid valve JMFH-5-1/4 FESTO - 848102090	18
FEST104211	MFH,VL-5-1/4 A.1/81 - Kit de ricambio FESTO 104211	2
FEST11911	Semi-rotary drive DSR-25-180-P FESTO	1
FEST11967	Solenoid valve MFH-3-3/4 FESTO	1
FEST121119	KIT DE REPARACION ADVU/AEVU-32-A-P-A FESTO 121119	3
FEST121121	ADVU/AEVU- 50-A-PA Set of wearing parts FESTO	5
FEST123565	DGP/DGPL-40-PPV REPAIR KIT PNEUMATIC CYLINDER FESTO	4
FEST130610	PUSH-IN Y-CONNECTOR QSY-8-4 FESTO	6
FEST130613	PUSH-IN T-CONNECTOR QST-8-4 FESTO	1
FEST130680	PUSH-IN FITTING QS-1/4-12-20 FESTO	4
FEST1312502	CILINDRO SIN VASTAGO DGC-K-32-3000-PPV-A-GK FESTO	1
FEST132206	Racor rápido roscado QS-B-1/8-8	10
FEST132981	PUSH-IN CONNECTOR QS-12H-6 FESTO	6
FEST1366950	ISO CYLINDER 50D 50 STROKE DSBC-50-50-PPVA-N3 FESTO	2
FEST1377637	SUCTION CUP COMPLETE VASB-30-1/8-SI-B FESTO	1
FEST1396063	SUCTION CUP COMPLETE VASB-55-1/4-PUR-B FESTO	4
FEST14044	Flat cylinder DZH-32-80-PPV-A FESTO	1
FEST14051	CILINDRO NEUMATICO DZH-40-140-PPV-A FESTO	3
FEST14324-136	ISO cylinder DSNU-12-136 -P-A FESTO	4
FEST1462834/680	Cylinder DsbC-40-680-ppva-n3 FESTO	2
FEST1463770-50	ISO CYLINDER DSBC-50-50-T-PPVA-N3 FESTO	1
FEST14883	Swivel flange SZS-32 FESTO	8
FEST150458	PROXIMITY SENSOR M18 NSD 8mm SIEH-M18B-PS-K-L FESTO	3
FEST150492	Proximity sensor SIES-Q40B-PA-X-2L FESTO	1
FEST150855	Proximity sensor SME-8-K-LED-24 FESTO	82
FEST150981	Solenoid valve MFH-5/2-D-1-C FESTO	5
FEST151163	One-way flow control valve GRLA-M5-RS-B FESTO	4
FEST151167	ONE-WAY FLOW CONTROL VALVE GRLA-1/8-PK-4-B FESTO	55
FEST151169	One-way flow control valve GRLA-1/8-RS-B FESTO	5
FEST151175	Válvula de estrangulación y antirretorno GRLA-1/4-RS-B 151175 FESTO	1
FEST151178	One-way flow control valve GRLA-3/8-B FESTO	1
FEST151215	One-way flow control valve GR-1/8-B FESTO	4

FEST152586	Plastic tubing PUN-6X1-SI FESTO	1136
FEST152587	Plastic tubing PUN-8X1,25-SI FESTO	991
FEST152588	Plastic tubing PUN-10X1,5-SI FESTO	125
FEST152811	Special oil OFSW-32 FESTO	15
FEST152820	Proximity sensor SME-8-K-LED-230 FESTO	2
FEST152823	PUN-6X1-DUO-SI FESTO DUO tubing 152823 FESTO	550
FEST152824	DUO tubing PUN-8X1,25-DUO-SI 152824 FESTO	400
FEST153001	Push-in fitting QS-1/8-4 FESTO	146
FEST153002	Push-in fitting QS-1/8-6 FESTO	98
FEST153003	Push-in fitting QS-1/4-6 FESTO	38
FEST153004	Push-in fitting QS-1/8-8 FESTO	45
FEST153005	PUSH-IN FITTING QS-1/4-8 FESTO	65
FEST153006	Push-in fitting QS-3/8-8 FESTO	50
FEST153007	PUSH-IN FITTING QS-1/4-10 FESTO	100
FEST153008	PUSH-IN FITTING QS-3/8-10 FESTO	50
FEST153009	Push-in fitting QS-3/8-12 FESTO	5
FEST153010	Push-in fitting QS-1/2-12 FESTO	65
FEST153011	Push-in fitting QS-1/2-16 FESTO	40
FEST153016	Racor rápido roscado QS-1/4-8-I	27
FEST153024	Push-in fitting QSF-1/4-6-B FESTO	3
FEST153031	Festo 153031 conector enchufable QS-4	82
FEST153032	PUSH-IN CONNECTOR QS-6 FESTO	83
FEST153033	Push-in connector QS-8 FESTO	14
FEST153034	PUSH-IN CONNECTOR QS-10 FESTO	29
FEST153035	PUSH-IN CONNECTOR QS-12 FESTO	12
FEST153038	Push-in connector QS-8-6 FESTO	51
FEST153039	Push-in connector QS-10-8 FESTO	56
FEST153045	Push-in L-fitting QSL-1/8-4 FESTO	51
FEST153046	Push-in L-fitting QSL-1/8-6 FESTO	97
FEST153047	Push-in L-fitting QSL-1/4-6 FESTO	216
FEST153048	PUSH-IN L-FITTING QSL-1/8-8 FESTO	3
FEST153049	Push-in L-fitting QSL-1/4-8 FESTO	90
FEST153050	Push-in L-fitting QSL-3/8-8 FESTO	22
FEST153051	PUSH-IN L-FITTING QSL-1/4-10 FESTO	1



FEST153052	PUSH-IN L-FITTING QSL-3/8-10 FESTO	43
FEST153053	Push-in L-fitting QSL-3/8-12 FESTO	12
FEST153054	Push-in L-fitting QSL-1/2-12 FESTO	15
FEST153055	PUSH-IN L-FITTING QSL-1/2-16 FESTO	44
FEST153061	PUSH-IN L-CONNECTOR QSL-6H-4 FESTO	8
FEST153062	PUSH-IN L-CONNECTOR QSL-8H-6 FESTO	31
FEST153071	PUSH-IN L-CONNECTOR QSL-6 FESTO	5
FEST153072	Push-in L-connector QSL-8 FESTO	49
FEST153073	Push-in L-connector QSL-10 FESTO	66
FEST153079	PUSH-IN L-FITTING, LONG QSL-1/8-8 FESTO	6
FEST153081	Push-in L-fitting, long QSL-3/8-8 FESTO	8
FEST153083	Push-in L-fitting, long QSL-3/8-10 FESTO	7
FEST153087	Racor rápido roscado en L QSLV-1/8-6FESTO	25
FEST153088	Push-in L-fitting QSLV-1/4-6 FESTO	8
FEST153090	Push-in L-fitting QSLV-1/4-8 FESTO	97
FEST153092	Push-in L-fitting QSLV-1/4-10 FESTO	21
FEST153093	Push-in L-fitting QSLV-3/8-10 FESTO	20
FEST153094	Push-in L-fitting QSLV-3/8-12 FESTO	9
FEST153095	PUSH-IN L-FITTING QSLV-1/2-12 FESTO	31
FEST153107	Push-in T-fitting QST-1/8-6 FESTO	97
FEST153108	PUSH-IN T-FITTING QST-1/4-6 FESTO	71
FEST153109	Push-in T-fitting QST-1/8-8 FESTO	47
FEST153110	Push-in T-fitting QST-1/4-8 FESTO	44
FEST153112	Push-in T-fitting QST-1/4-10 FESTO	59
FEST153113	Push-in T-fitting QST-3/8-10 FESTO	20
FEST153114	Push-in T-fitting QST-3/8-12 FESTO	7
FEST153115	PUSH-IN T-FITTING QST-1/2-12 FESTO	67
FEST153118	RACOR QSTL-1/8-6 FESTO	106
FEST153121	RACOR QSTL-1/4-8 FESTO	1
FEST153123	RACOR QSTL-1/4-10 FESTO	52
FEST153128	PUSH-IN T-CONNECTOR QST-4 FESTO	54
FEST153129	Push-in T-connector QST-6 FESTO	49
FEST153130	Push-in T-connector QST-8 FESTO	71
FEST153131	Push-in T-connector QST-10 FESTO	23

FEST153136	PUSH-IN T-CONNECTOR QST-10-8 FESTO	5
FEST153140	Push-in Y-fitting QSY-1/4-6 FESTO	30
FEST153142	Racor rápido roscado en Y QSY-1/4-8	2
FEST153144	PUSH-IN Y-FITTING QSY-1/4-10 FESTO	4
FEST153149	PUSH-IN Y-CONNECTOR QSY-6 FESTO	61
FEST153150	Push-in Y-connector QSY-8 FESTO	30
FEST153154	Push-in Y-connector QSY-8-6 FESTO	7
FEST153158	Push-in bulkhead connector QSS-6 FESTO	85
FEST153215	MULTIPLE DISTRIBUTOR QSLV2-1/4-8 FESTO	14
FEST153216	Multiple distributor QSLV2-3/8-8 FESTO	10
FEST153227	MULTIPLE DISTRIBUTOR QSLV3-1/4-10 FESTO	60
FEST153252	PUSH-IN SLEEVE QSH-6 FESTO	14
FEST153264	PUSH-IN CAP QSC-8 FESTO	30
FEST153275	RACOR RAPIDO ROSCADO L QSLF-1/4-6-B	7
FEST153276	PUSH-IN L-FITTING QSLF-1/8-8-B FESTO	3
FEST153283	REDUCING SLEEVE QMR-3/8-1/4-B FESTO PHASE OUT	3
FEST153301	PUSH-IN FITTING QSM-M3-3 FESTO	84
FEST153304	PUSH-IN FITTING QSM-M5-4 FESTO	84
FEST153306	PUSH-IN FITTING QSM-M5-6	9
FEST153317	PUSH-IN FITTING QSM-M5-6-I FESTO	28
FEST153322	PUSH-IN FITTING QSMP-M8X0.75-6 FESTO	8
FEST153335	PUSH-IN L-FITTING QSML-M5-6 FESTO	172
FEST153336	PUSH-IN L-FITTING QSML-1/8-6 FESTO	6
FEST153367	Unión en T QSMT-6 FESTO 153367	100
FEST153380	PUSH-IN X CONNECTOR QSMX-6 FESTO	6
FEST153422	PUSH-IN FITTING, SELF-SEALING QSK-1/8-8 FESTO	2
FEST153493	PRESSURE REGULATOR LRMA-1/8-QS-8 FESTO	2
FEST153503	DIFFERENTIAL PRESSURE REGULATOR LRL-1/8-QS-8 FESTO	3
FEST153534	FESTO 153534 Pressure regulator LR-1/8-QS-4	2
FEST15623	Double nipple E-1/4-1/4-MS FESTO	17
FEST156532	Compact cylinder ADVU-32-15-P-A FESTO	6
FEST156534	CILINDRO COMPACTO ADVU-32-25-P-A FESTO 156534	2
FEST156553	COMPACT CYLINDER 50 OD 25 STROKE ADVU-50-25-P-A FESTO	3
FEST156564	Compact cylinder ADVU-63-40-P-A FESTO	1

FEST156638	COMPACT CYLINDER ADVU-50-20-A-P-A FESTO	4
FEST156859	Compact cylinder ADVUL-20-10-P-A FESTO	3
FEST156879	Compact air cylinder ADVUL-32-30-P-A FESTO	16
FEST15901	Solenoid valve MFH-5-1/4-B FESTO	1
FEST159259	PRESSURE SWITCH PEV-1/4-A-SW27 FESTO	2
FEST159581	PRESSURE REGULATOR LR-1/2-D-MIDI FESTO	1
FEST159587	LUBRICATOR LOE-1/2-D-MIDI FESTO	2
FEST159588	SERVICE UNIT FRC-3/8-D-MIDI FESTO	1
FEST159590	SERVICE UNIT FRC-1/2-D-MIDI FESTO	1
FEST159605	SERVICE UNIT FRC-1/4-D-MINI FESTO	2
FEST159625	PRESSURE REGULATOR LR-1/4-D-MINI FESTO	3
FEST159664	PLASTIC TUBING PUN-6X1-BL FESTO	512
FEST159664R	PLASTIC TUBING PUN-6X1-BL-R FESTO	13.5
FEST159665	PLASTIC TUBING PUN-6X1-SW FESTO	80
FEST159666	PLASTIC TUBING PUN-8X1,25-BL FESTO	581
FEST159666R	PLASTIC TUBING PUN-8X1,25-BL-R FESTO	1.64
FEST159668	PLASTIC TUBING PUN-10X1,5-BL FESTO	344
FEST159669R	PLASTIC TUBING PUN-10X1,5-SW-R FESTO	12
FEST159670	PLASTIC TUBING PUN-12X2-BL FESTO	296
FEST159670R	PLASTIC TUBING PUN-12X2-BL-R FESTO	24
FEST159681	Air solenoid valve MN1H-5/3G-D-1-C FESTO	1
FEST160239	Vacuum filter VAF-PK-6 FESTO	4
FEST161360	SOLENOID VALVE CPV14-M1H-5LS-1/8 FESTO	2
FEST161361	161361 - CPV14-M1H-5JS-1/8 FESTO Solenoid valve	1
FEST161795-650	ACTUADOR LINEAR DGPL-50-650 -PPV-A-KF-B FESTO	1
FEST162809	ON/OFF VALVE HE-3/8-D-MIDI FESTO	1
FEST162844	PRESSURE GAUGE MA-63-1-1/4-EN FESTO	1
FEST162861	PUSH-IN FITTING CRQS-M5-6 FESTO	10
FEST162968	ONE-WAY FLOW CONTROL VALVE GRLA-1/4-QS-8-RS-B FESTO	2
FEST162970	ONE-WAY FLOW CONTROL VALVE GRLA-3/8-QS-8-RS-B FESTO	2
FEST163142	Air solenoid valve CPE18-M1H-5L-1/4 FESTO	7
FEST163307	ISO cylinder DNC-32-50-PPV-A FESTO	1
FEST163309	CILINDRO NEUMATICO DNC-32-100-PPV-A FESTO	1
FEST163336	CILINDRO DNC-40-600-PPV	3

FEST163342	ISO cylinder DNC-40-125-PPV-A FESTO	10
FEST163369	ISO cylinder DNC-50-25-PPV-A FESTO	6
FEST163373	ISO cylinder DNC-50-100-PPV-A FESTO	6
FEST163374	ISO cylinder DNC-50-125-PPV-A FESTO	4
FEST163389	ISO cylinder DNC-50-160-PPV FESTO	3
FEST163404	Standard cylinder DNC-63-80-PPV-A	1
FEST163418	CILINDRO NEUMATICO DNC-63-80-PPV FESTO	8
FEST163430/125S2	ISO cylinder Through Piston Rod DNC-80-125-PPV-A-S2 FESTO	1
FEST164050	Flat cylinder DZF-40- -P-A FESTO	1
FEST164274	SQUARE CORNER CONNECTOR FEMALE 4 PIN 2 LED 164274 FESTO	1
FEST164981	PUSH-IN L-FITTING QSL-1/4-12 FESTO	97
FEST1686636	Válvula de bola VZBA-1/2"-GG-63-T-22-F0304-V4V4T FESTO 1686636	2
FEST1686639	BALL VALVE VZBA-3/4"-GG-63-T-22-F0304-V4V4T FESTO	2
FEST170247	SOLENOID VALVE 5/3 CLOSED 24VDC CPE18-M1H-5/3G-1/4 FESTO	1
FEST170831	CYLINDER GUIDED DRIVE DFM-12-100-P-A-GF	1
FEST170920	170920 - DFM-20-80-P-A-KF FESTO Guided drive	2
FEST172956	ON/OFF VALVE 24 VDC HEE-D-MINI-24 FESTO	1
FEST174385	Swivel flange SNC-50 FESTO	2
FEST174392	OSCILLATING FLANGE SNCB-50 FESTO	3
FEST175487	Conector SEA-M12-5GS-PG7	10
FEST176067	176067 - CPV14-M1H-3OLS-3GLS-1/8 FESTO Solenoid valve	1
FEST176945	Swivel flange SNCB-40-R3 FESTO	1
FEST178410	PLASTIC TUBING PUN-4X0,75-RT FESTO	55
FEST178411	MANGUERA ROJA FESTO 178411 PUN-6x1-RT	50
FEST178411R	Plastic tubing PUN-6X1-RT-R FESTO	3
FEST178412	PLASTIC TUBING PUN-8X1,25-RT FESTO	90
FEST178412R	PLASTIC TUBING PUN-8X1,25-RT-R FESTO	14
FEST178418	PLASTIC TUBING PUN-6X1-GE FESTO	50
FEST178418R	PLASTIC TUBING PUN-6X1-GE-R FESTO	2
FEST178424	PLASTIC TUBING PUN-4X0,75-GN FESTO	70
FEST178424R	PLASTIC TUBING PUN-4X0,75-GN-R FESTO	0.67
FEST178425	TUBO PLASTICO PUN-6X1-GN FESTO 178425	250
FEST178426	Plastic tubing PUN-8X1,25-GN FESTO	305
FEST185498	Plug socket SEA-M12-4WD-PG7 FESTO	3

FEST186109	Push-in fitting QS-G1/8-8-I FESTO	10
FEST186117	Racor rápido roscado en L QSL-G1/8-6 FESTO	7
FEST186122	PUSH-IN L-FITTING QSL-G1/4-10 FESTO	48
FEST186150	PUSH-IN L-FITTING 4,2 mm QSLV-G1/8-8-I FESTO	7
FEST186326	Push-in L-fitting QSL-V0-G1/8-8 FESTO	10
FEST186459	FILTER LF-1/4-D-MIDI FESTO	3
FEST188132	Short-stroke cylinder AEVC-20-10-I-P FESTO 188132	1
FEST188149	SHORT-STROKE CYLINDER 20OD 25 STROKE ADVC-20-25-I-P FESTO	4
FEST189402	SUCTION CUP COMPLETE ESS-30-CN FESTO	12
FEST190644	FESTO 190644 Push-in fitting QS-1/4-4	1
FEST190645	PUSH-IN FITTING QS-3/8-6 FESTO	15
FEST190646	PUSH-IN FITTING QS-1/2-10 FESTO	7
FEST190661	PUSH-IN L-FITTING QSL-1/2-10 FESTO	19
FEST190670	PUSH-IN T-FITTING QST-3/8-6 FESTO	10
FEST192008	STRAIGHT MALE CONNECTOR M12x1 4 CONTACTS CONNECTION SCREW TERMINAL 192008 FESTO	6
FEST19207	ISO cylinder DSNU-20-10-P-A Festo 19207	2
FEST19210	ISO CYLINDER 20 OD 50 STROKE DSNU-20-50-P-A FESTO	13
FEST19221	ISO cylinder DSNU-25-50-P-A FESTO	2
FEST1922634	ISO cylinder DNC-50-300-PPV-A FESTO	1
FEST193143	ONE-WAY FLOW CONTROL VALVE GRLA-1/8-QS-4-D FESTO	26
FEST193144	ONE-WAY FLOW CONTROL VALVE GRLA-1/8-QS-6-D FESTO	40
FEST193147	ONE-WAY FLOW CONTROL VALVE GRLA-1/4-QS-8-D FESTO	8
FEST193405R	PLASTIC TUBING PLN-8X1,25-NT-R FESTO	13
FEST193585	VACUUM GENERATOR VN-14-L-T4-PI4-VI5-RI5 FESTO	6
FEST195281	PLASTIC TUBING PLN-6X1-SW FESTO	10
FEST196020	CILINDRO DSNU-32-25-PPV-A FESTO	37
FEST196131	FESTO 196131 - MHE2-MS1H-3/2G-M7 FESTO Solenoid Valve	6
FEST196982	SOLENOID VALVE NVF3-MOH-5/2-K-1/4 FESTO	20
FEST19705	SOLENOID VALVE MFH-5-3/8-B FESTO	27
FEST197062	MANGUERA PFAN-6X1-NT FESTO	20
FEST197063	PLASTIC TUBING PFAN-8X1,25-NT FESTO	200
FEST197377	Plastic tubing PUN-H-6X1-NT FESTO	293
FEST197378	PLASTIC TUBING PUN-H-8X1,25-NT	249
FEST197379	Plastic tubing PUN-H-10X1,5-NT FESTO	307

FEST197380	Plastic tubing PUN-H-12X2-NT FESTO	12
FEST197382	Plastic tubing PUN-H-3X0,5-BL FESTO	790
FEST197383	PLASTIC TUBING PUN-H-4X0,75-BL FESTO	825
FEST197384	PLASTIC TUBING PUN-H-6X1-BL FESTO	1259
FEST197384R	PLASTIC TUBING PUN-H-6X1-BL-R FESTO	8
FEST197385R	PLASTIC TUBING PUN-H-8X1,25-BL-R FESTO	14
FEST197386	PLASTIC TUBING PUN-H-10X1,5-BL FESTO	962.6
FEST197387	PLASTIC TUBING PUN-H-12X2-BL FESTO	2119
FEST197387R	PLASTIC TUBING PUN-H-12X2-BL-R FESTO	25.5
FEST197388	PLASTIC TUBING PUN-H-16X2,5-BL FESTO	712.7
FEST197391	Plastic tubing PUN-H-6X1-SW FESTO	1202.5
FEST197391R	Plastic tubing PUN-H-6X1-SW-R FESTO	29
FEST197392	PLASTIC TUBING PUN-H-8X1,25-SW FESTO	405.5
FEST197392R	PLASTIC TUBING PUN-H-8X1,25-SW -R FESTO	1
FEST197399	Tube DUO PUN-H-10X1,5-DUO	100
FEST197578	ONE-WAY FLOW CONTROL VALVE GRLA-M5-QS-6-RS-D FESTO	53
FEST19758	Solenoid valve MFH-5-1/8-B FESTO	1
FEST19759	Solenoid valve MFH-5-1/8-S-B	4
FEST19796	Spiral plastic tubing PPS-6-7,5-1/4-BL FESTO	4
FEST2028	Quick connector CK-1/8-PK-6 FESTO	104
FEST2310	Silencer U-1/2 FESTO	10
FEST2311	Silencer U-3/4 FESTO	12
FEST2312	Silencer U-1 FESTO	10
FEST2316	Silencer U-1/4 FESTO	19
FEST33892	CLEVIS FOOT LNG-50 FESTO	2
FEST33893	clevis foot LNG-63 FESTO	2
FEST34431	Plug socket MSSD-F FESTO	1
FEST34487-350	GUIA FENG-32-350-KF FESTO	2
FEST34488/160	GUIDE UNIT FENG-40-160-KF FESTO	3
FEST34583	Plug socket MSSD-C 34583 FESTO	7
FEST3569	Blanking plug B-1/4 FESTO	7
FEST3577	Reducing nipple D-1/8I-1/4A FESTO "OBSOLETE"	4
FEST3581	Reducing nipple D-1/4I-3/8A FESTO "OBSOLETE"	7
FEST3585	Reducing nipple D-3/8I-1/2A FESTO "OBSOLETE"	2

FEST3591	Solenoid coil MSW-110AC FESTO	2
FEST36144	Suction cup complete VAS-55-1/4-NBR FESTO	5
FEST361699	VALVE OF DOUBLE EFFECT CPE-18-PRS FESTO	3
FEST369195	DNC- 32- PPVA SET OF WEARING PARTS FESTO	8
FEST369196	DNC- 40- PPVA SET OF WEARING PARTS FESTO	5
FEST369197	DNC- 50- PPVA SET OF WEARING PARTS FESTO	8
FEST369199	DNC-80-PPV-A Conjunto de piezas sujetas a desgaste FESTO	15
FEST369200	DNC-100- PPVA SET OF WEARING PARTS FESTO	3
FEST4487	T quick connector TCK-1/4-PK-4 FESTO	3
FEST4540	Solenoid coil MSFW-230-50/60 FESTO	3
FEST5149	clevis foot LN-50 FESTO	6
FEST525146	SOLENOID VALVE 3/2 CLOSED MONOSTABLE MHE3-M1H-3/2G-1/8 FESTO	6
FEST525149	SOLENOID VALVE 3/8 CLOSED MONOSTABLE MHE3-MS1H-3/2G-1/8-K FESTO	2
FEST526132	GENERADOR DE VACIO VN-30-L-T6-PI5-VI6-RO2 FESTO	15
FEST532216	PROFIBUS CONNECTOR FBS-SUB-9-GS-DP-B FESTO	5
FEST532909	MICRO-FILTER CARTRIDGE MS6-LFM-A FESTO	20
FEST532911	ACTIVATED CARBON FILTER CARTRIDGE MS6-LFX FESTO	20
FEST533283	Racor rápido roscado QB-1/2-3/8-U	5
FEST533284	Racor rápido roscado QB-1/2-1/2-U	10
FEST533374	PLATE VMPPA-APU FESTO	30
FEST534338	One-way flow control valve GRLA-1/4-QS-6-RS-D 534338 FESTO	2
FEST534468	LIMIT SWITCH-ATTACHMENT DAPZ-SB-M-250AC-DSM-RO FESTO	1
FEST534474	LIMIT SWITCH-ATTACHMENT DAPZ-SB-M-250AC-DR-AR FESTO	4
FEST534499	FILTER CARTRIDGE MS6-LFP-C FESTO	20
FEST535987	SOLENOID VALVE NVF3-MOH-5/2-K-1/4-EX FESTO	14
FEST536235	Compact air cylinder ADN-20-10-A-P-A Festo 536235	3
FEST537137	SUB-BASE-SET MS12-AGH FESTO	1
FEST537640	SOLENOID VALVE VUVB-S-M42-AZD-QX-1T1L FESTO	2
FEST537952	Solenoid valve VMPPA2-M1H-M-PI FESTO	5
FEST538200	HAND LEVER VALVE VHER-BH-M04E-G18-LD FESTO	2
FEST538272	PROXIMITY SENSOR SIED-M12B-ZS-K-L FESTO	1
FEST538337	Proximity sensor SIED-M18NB-ZS-K-L-PA FESTO	20
FEST543241	Plastic tubing PEN-6X1-SW FESTO	100
FEST546148	ELECTROVALVULA 546148 - VZWM-L-M22C-G12-F4	1

FEST546149	Air solenoid valve VZWM-L-M22C-G34-F4 FESTO 546149	2
FEST546150	ELECTROVÁLVULA VZWM-L-M22C-G1-F4 FESTO	3
FEST546452	REGULADOR PRESION LR-D-7-MINI	1
FEST546696	SOLENOID VALVE VSVA-B-B52-H-A1-1C1 FESTO	3
FEST547910	Diffuse scan SOEG-RT-M18-NA-K-2L	7
FEST553912	FESTO 553912 PLASTIC TUBING PAN-4X0,75-SW	19
FEST553924	FESTO 553924 PLASTIC TUBING PAN-4X0,75-RT	29
FEST558301	PLASTIC TUBING PUN-H-8X1,25-GE FESTO	50
FEST564138	Pressure regulator MS9-LR-G-D7-AG-BAR-AS Festo 564138	2
FEST575504	Air solenoid valve VUVS-L25-M52-AZD-G14-F8-1C1 FESTO	1
FEST578281	RACOR CURVO QSL-F-G 1/8-6 S/S-L-NPQH-L-G18-Q6-P10	10
FEST578283	PUSH-IN L-FITTING NPQH-L-G14-Q6-P10 FESTO	8
FEST578339	RACOR RAPIDO ROSCADO NPQH-D-G18-Q6-P10	20
FEST578340	PUSH-IN FITTING NPQH-D-G18-Q8-P10 FESTO	8
FEST6146	Rod clevis SG-M16X1,5 FESTO	16
FEST6211	Solenoid valve MFH-5-1/4 FESTO	6
FEST652312	REAR CYLINDER HEAD FESTO	3
FEST652318	REAR CYLINDER HEAD FESTO	2
FEST6720	Solenoid coil MSFW-110-50/60 FESTO	36
FEST6841	Silencer U-1/8-B FESTO	10
FEST6842	Silencer U-1/4-B FESTO	13
FEST6843	Silencer U-3/8-B FESTO	5
FEST684489	DGC-40-...- BIS X9 SET OF WEARING PARTS FESTO	4
FEST6890	Vacuum generator VAK-1/4 FESTO	1
FEST724634	REPLACEMENT KIT ELECTRO VALVE VZWM-3/4 FESTO	2
FEST7802	Solenoid valve MFH-3-1/8 FESTO	4
FEST8030221	ELBOW FITTING NPFC-L-R1-G1-MF FESTO	4
FEST8047614	Quarter turn actuator DFPD-20-RP-90-RD-F04 FESTO 8047614	1
FEST9263	Rod eye SGS-M16X1,5 FESTO	1
FEST9289	Pulsador T-22-SW	4
FEST9301	SELECTOR N-22-SW FESTO	5
FEST9305	Interruptor basculante H-22-SW	1
FEST9499	Perno hueco VT-1/4-PRS 9499 Festo	20
FEST9686	Quick exhaust valve SE-1/4-B FESTO	3



FEST9688	VALVE SE-1/2-B FESTO	2
FEST9857	Solenoid valve MFH-3-1/2 FESTO	2
FEST9964	SOLENOID VALVE 3/2 CLOSED MONOSTABLE MFH-3-1/4 FESTO 9964	15
FEST9982	Solenoid valve MFH-5-1/8 FESTO	1
FESTO34487-125	UNIDAD GUIA FENG-32-125-KF FESTO	1
FESTO8047213	DFM-12-PA :FR 02-2015 Set of wearing parts Festo 8047213	2
FILT200HE	Hydraulic Filter Element 200HE Filtruil	4
FISH6690C	Photoelectric Lighting Control Model 6690C Fisher Pierce	1
FISH7790BSSS	SENSOR REFLECTIVO TIPO NA 220VCA 7790B-SSS FISCHER-PIERCE	2
FISHR133HX00012	KIT, REPAIR, 133H, L AND Z SPRING FISHER	3
FLOTV10SS	INTERRUPTOR FLUJO 1/2" 36lpm 34,40lpm V10SS Flotech	1
FLUK62MAX	TERMOMETRO INFARROJO FLUKE	1
FLUK971	Medidor de humedad y temperatura 971 Fluke	4
FLYGENM10	Liquid Level Regulator Switch / 20m - 65ft ENM-10 FLYGT	1
FOXB22505	GLASS PH J3 ELECTRODE MEASURING SENSOR KIT ROTON. FOXBORO	1
FRAMPH7138	OIL FILTER 36mmx1.5mm FRAM	3
FRAMPS7408A	FUEL FILTER FRAM	3
FRAMPS9127	GASOLINE FILTER 5.7 x 3.9 x 3.9' FRAM	1
FUWFEW40S62000PC	ROTARY ENCODER FW40S6-2000P-C 8-30V 2000P/R FUWEI	2
GATE7545	BELT 7545 ( = 11A1385) GATES	6
GEFR000125	GTS 40 480 D 0 SOLID STATE RELAY GEFRAM	2
GEFRF003572	Capteur de position Potentiométrique - LT-M-0300-S 0000X000X00 GEFran	2
GENEPMUWL4BSS	3.5 "Blue LED Stern Light Submarine Boat Pontoon   With 316 Stainless Steel Deck   Marine GENERIC	2
GENETFK236F000	General Electric TFK236F000 225 Amp 600 V 3 Polos Trifasico	1
GEOR328505241V	SENSOR CONDUCTIVIDAD INTEGRADO 10-10000µ PT-1000 12/24VDC 4-20mA MODELO SIGNET 3-28505241V GEORGE FISCHER	1
GLP3196-LTX	ANILLO DE LINTERNA GOULDS PART 3196-LTX	2
GORM38615087	PUMP IMPELLER 11010 GORMA RUPP	1
GOUL767761	DEFLECTOR 3196ST GOULDS	1
GOULC02495A4565302	SELLO DE GOMA ( O-RING ) 3175S SIZE 3X6-14	1
HANSVLT06N	Techni-Level Probe, 4-20MA, NH3 60" Active Length, 65" Insert Hansen	1
HERM210784710	wear ring CNF 40-160/200, dim. 90 x 80 x 12, mat. HERMETIC PUMPS	1
HERM211333812	filter insert, dim. 169 x 140.05 x 0.5, mat. 1.4571, pos.HERMETIC PUMNS	1
HERM221399101	Auxiliary Impeller, AGX 4.5/6.5/8.5/112MY/L, Mat no. HERMETIC PUMPS	1
HERM222332907	impeller, ø 169mm B 24, mat. GG-25, pos. 230.01 HERMETIC PUMPS	1

HIRS933172100	M12 4-POLE CABLE MOUNT FEMALE CONNECTOR HIRSCHMANN	1
HITAWJ200007SF	1 HP, 5 Amp, 0.7 kW, WJ200-007SF, Constant Torque Sensorless Vector AC Drive, Input: 200 - 240VAC, Single Phase	2
HONEC6045D	PRESSURE SWITCH C6045D1019 HONEYWELL	2
HYDEVM18PNOQ	Ultrasonic sensor cylindrical M18, Sn508mm, NO, 12...24 VDC, M12 Hyde Park	1
IFMIGS205	SSensor Inductivo IGB3012-BPKG/US-104 IGS205 IFM	1
IFMKD0024	SENSOR CAPACITIVO KDE2060-FBOA/NI/NPT IFM	4
IFMO1D100	RETRO REFLEX PHOTODIODE 0.2-10 M, LASER ADJUSTABLE, 18-30 Vdc, PNP, M12 CONNECTOR, IP65, O1D100 IFM ELECTRONIC	1
IFMPN2294	TRANSMISOR PRESION 14.5/145.0psi 1/10bar 18/32Vdc 4/20mA MODELO PN22	17
IFMPN7094	INTERRUPTOR DE PRESION 0-10bar G1/4BSP PANT	9
IFMTN7511	Sensor de temperatura con pantalla TN-045KCB18-QFPKG/US/ TN7511 IFM	1
IKOPB20	ROD END PB20 20x46x18 mm IKO	6
IKOPHS14A5	Right Hand Lubrication Type Rod End With Female Thread IKO	12
IKOPHS8A5	Right Hand Lubrication Type Rod End With Female Thread IKO	2
IKOPHS8LA	Left Hand Lubrication Type Rod End With Female Thread IKO	10
IKOPHS8LA-2	Left Hand Lubrication Type Rod End With Female Thread (2PZAS) IKO	5
INEL46277	Kiss Of Relay Of 11 Pines Modelo Inelce Of 10 Amp 220v INELCE	2
INGE39428305	Air Compressor Temperature Switch Fenwal INGERSOLL RAND	1
JASO635L10	Micro-V Belt, L Section, 635L Size, 63.5" Length, 1-7/8" Width, 10 Rib JASON	1
JASOBX69	COGGED V-BELT JASON	1
JOHN40M4624	STOP COLLAR 40M4624 JOHN DEERE	2
JOHNF004573	O-RING JOHN DEERE	3
JOHNKV26919	TALL LAMP JOHN DEERE	2
JOHNRE31617	SEAL,VALVE Q17 John Deere	3
JOHNT139615	NUT 20mm JOHN DEERE	8
JOHNT142594	Track Bolt 20mm JOHN DEERE	8
JOHNT18891	STOPPER OF CONDUIT OF LIBERATION JOHN DEERE	8
JOHNU12547	O-ring NOS OEM JOHN DEERE	1
JUNG50430888	SOLENOID CONTROL VALVE JUNGHEINRINCH	2
JUNG51067607	RADIAL BEARING BALL JUNGHEINRICH	4
KOINKFSES3	Floatless Electrode Fixing Coupler KOINO	1
KOINKLCA2	limit switch KOINO	1
KONE253668	KONECRANES 253668 PUSH BUTTON	3
KRON0681777121	RETAIN EXTERIOR STEEL 110X4MM DIN-471 KRONES	2
KVP72012M	PIÑON 1-1/2" 12 DIENTES PASO 2" KVP	4

LEUZ50030077	Photoelectric Sensor IPRK 18/A L.4 500 30077-LEUZE ELECTRONIC	5
LEUZHRT96KR1690120025	Fotosensor supresor HRT 96K/R-1690-1200-25 -50025131 LEUZE ELECTRONIC	1
LEUZPRK18/24DL46	Photoelectric Sensor, 0-4 m, LED, Red, PNP PRK 18/24 DL.46 Leuze	4
LEUZPRK318KPS12	PHOTOELECTRIC SENSOR PRK 318K/P-S12-LEUZE ELECTRONIC	1
LIKAPAN6	COUPLING FOR ENCODER PAN 6 LIKA	15
LINC244047	FAST CONNECTOR STRAIGHT STEEL 1/4 "OD X 1/8" NPT MALE P MAX 4300 PSI LINCOLN	45
LINC5818	FLEXIBLE HOSE 1/4 "x50cmx1 / 8" NPT 4500psi NYLON / ALUMINUM LINCOLN MESH	2
MARB000064433	CHUMACERA CUADRADA 25x70mm CERRADA POLIAMIDA	2
MARB000064483	CHUMACERA CUADRADA 25x70mm ABIERTA POLIAMIDA	3
MATR600500	ACTUATOR VANE MX60, 90 DEG, 13.5 AIR CONSUMPTION, 40-120 PSIG MATRIX	1
MCGIMCFR35SB	CAM FOLLOWER PRECISION BEARINGS 35MM MCGILL	10
MCGIMCFR40S	CAM FOLLOWER SEALED CAGE TYPE ROLLER DIA 40MM MCGILL	10
MEGA25T5660	CORREA DE POLIURETANO 25mm MEGAPOWER 25T5/660	1
MEGA915L16	CORREA 915L-16 MARCA MEGADINE	12
MEGAAT5610	METRIC BELT AT5 610	10
MERLC60NC1024336	Multi-9 Circuit Breaker, 2P, C60N-C10 I, 10 amp, C60N-C10, 24336 Merlin-Gerlin	4
META2L01000	FITTING PUSH-IN 2L01000 METAL WORK	5
METAW0950000201	SENSOR DSM2-C525 - MWHS METALWORK	10
MITSA1SX81	A1sx81 Input Module 12-24Vdc 3-7Ma Mitsubishi	1
MITU531109	"Vernier Caliper with Thumb Clamp Vernier Caliper with Thumb Clamp 0-300mm/0-12", 0,05mm, Metric/Inch MITUTOYO"	1
MOE072738	Motor-protective PKZM0-6,3 072738 MOELLER	2
MOELATI12D31	SENSOR OF PROXIMITY MOELLER	2
MOELDILA40	AUXILIARY CONTACTOR MOELLER	1
MOELDILM150CXHI22	Contact Block, 10 A, 500 V, 4 Pole, 2NO / 2NC, DILM Series, Screw Terminals MOELLER	3
MOELE59M18C116D01D1	INDUCTIVE PROXIMITY SENSOR, E59 SERIES, ACCUPROX, CONNECTOR, 16MM, SPST-NO, 6 V TO 48 V MOELLER	7
MOELETR451A	Wye-delta Timer Relay 50 ms, 1W, 24-240vac MOELLER	1
MOELH22K10	GREEN PUSH-BUTTON MOELLER	5
MOELM22PVTK01	Emergency Stop Switch, IEC, SPST-NC, Push-Twist Release, Screw MOELLER	10
MOELMCS11	PRESSURE SWITCH 1 POLE, 1-CHANGEOVER CONTACTS WITH GOLD-PLATED CONTACTS MOELLER	2
MOELXTCE040D00A	Contactora, 3-Pole, Fnr, 40A, D-Frame, 110V 50Hz / 120V 60Hz Coil, XT IEC Series MOELLER	1
MOELXTCE040D00B	240VAC Non-Reversing IEC Magnetic Contactor 3P 40A MOELLER	1
MOELXTCEXFBG11	Auxiliary contact block 1 NO + 1 NC Front mounting DMLM150-XHI11 MOELLER	1
MULL20902	OPERATING HOURS COUNTERS BW 70.29 230 VAC 50 TO 60 HZ CLASS 2, POWER 1.5 W, ACCURACY 0.01 H. MULLER PART 20902	3
NATI450099	Nitrile Oil Seal-45 Design, Single Lip with Spring, 2.2500 in Shaft, 3.3550 in OD, 0.4690 in Width, Nitrile, 45 NATIONAL	6

NEOLPS2730005	ELEMENTO FILTRO TIPO PLISADO 5 MICRAS NEOLOGIC	21
NOGRO7200RGLA	Regulator, 1/4" PTF, 15 scfm, Relieving Diaphragm, Gauge, 5- 125 psig, R07 Serie	3
NORD901915	KIT, NOZZLE CLEANING NORDSON	1
NORG11042008	Air Pilot Operated Regulator 1 NPT Zinc/Aluminum 11-042-008 Norgren	1
NORG5CV03600	PNEUMATIC CONTROL MOELLER	2
NORTM1502	Bobina Bob.24V-Dc 48V-50/60 mm NORGREEN TM1502	4
NUMA4FCRN	REGULADOR DE FLUJO DE 1/2" 90° 4FCRN NUMATICS	10
NUMAP1AR19I1KBAA2	CILINDRO DE AIRE NUMATICS MODELO P1AR-19I1K-BAA2	3
OMEG10287330	REXNORD 10287330 E2 ELEMENT REX OMEGA	1
OMROD2SW3L2H	Switch Snap Action N.O./N.C. SPDT Hinge Roller Lever Solder 3A 250VAC 30VDC 0.59N Screw Mount OMRON	14
OMROD4B4111N	INTERRUPTOR LIMITADOR DE SEGURIDAD 1NA 1NC ACCIONAM RAPIDO CABLE M20	5
OMROE2AM12LS04M1B1	Nickel Plated Brass Cylindrical Proximity Sensor; 12 - 24 V; IP67	2
OMROE2BM12LS04M1B1	SENSOR DE PROXIMIDAD M12 4mm PNP NO OMRON	8
OMROE3A2R3M4D	SENSOR REFLECTIVO TIPO NC-NA 24-240 Vac-dc E3A2-R3M4D OMRON	1
OMROE3F2DS10B4P1	Photoelectric Sensor Diffuse-Reflective Light ON/Dark ON PNP 0.1m 4-Pin OMRON	3
OMROE3FARP21	Photoelectric Sensors RetroReflect M12 PNP Straight .1-4m OMRON	6
OMROE3SAD87	Photoelectric Sensor Diffuse-Reflective Light ON/Dark ON PNP 0.7m 3-Pin OMRON	1
OMROE3SCR66	Photoelectric Sensor, Polarized Retroreflective, NPN/PNP, 3m Range, E3S-Cr66	1
OMROE3SR67	SENSOR RETRO-REFLEXIVO 100 a 300 mm M12 30VDC OMRON	3
OMROE3XDA41N	Photoelectric Sensors PRE-WIRED DIGITAL PNP FO AMP OMRON	2
OMROE3ZB86	SENSOR: PHOTOELECTRIC; RANGE:80÷500MM; PNP; DARK-ON, LIGHT-ON OMRON	4
OMROE3ZLR86	COMPACT LASER PHOTOELECTRIC SENSOR WITH BUILT-IN AMPLIFIER E3Z-LR86	7
OMROE3ZLS86	FOTOSENSOR RETROREFLEXIVO 12-24Vdc OMRON	2
OMROG2R1S24VAC	Relay: electromagnetic; SPDT; Uinductor:24VCA; 10A/250VAC OMRON	12
OMROG2R1SN24VAC	Electromechanical Relay 24VAC 253Ohm 10A SPDT(29x13x35.5)mm Plug-In General Purpose Relay OMRON	12
OMROG3NA220BDC524	RELAY; SSR; GEN PURP; CUR-RTG 20A; CTRL-V 5-24DC; VOL-RTG 24-240AC; 4 PIN OMRON	3
OMROG7S-4A2BDC24V	Dc24v 24 VDC Coil Pilot Relay OMRON	1
OMROH3CRA	TIMER RELAY 100 to 240 VAC (50/60 Hz)100 to 125 VDC 11 PIN OMRON	7
OMROH3CRA8	Analogical Temporizador, Multifunction, Series H3CR-A, I Retard to the Connection, 14 Ranges, 0.05 s, 300 h OMRON	9
OMROP2CF11	CONNECTING RELAY SOCKETS 11 PINS, OMRON P2CF-11, P2CF11	1
OMROY92BN100	HEAT SINK TRACK MNT FOR G3NA SER OMRON	4
OMROZ15GDB	Switch Snap Action N.O./N.C. SPDT Short Spring Plunger 15A 250VAC 250VDC 186.42VA 3.43N Screw Mount Screw OMRON	13
ORIO08157BNUMD-U	REFILLABLE PH/ATC COMBINATION ELECTRODES, BNC WATERPROOF, 8-PIN MINI DIN, LENGTH 1M, ORION 08157BNUMD USADO	2
PANZT5602	ELECTRIC INSULATION HEAT SHRINK TUBING 2:1, ASSORTED CABLE WRAPS WITH BOX (560 PIECES) PANZEXIN T-560-2	2

PAR164KMP	FILTRO SECADORr 1/2" 164 KMP PARKER C-164 PARK164KMP	4
PARK06R113AC	Parker 06R113AC Air Pressure Regulator, Pipe Size 1/4	1
PARK07R313AC	PNEUMATIC REGULATOR 1/2" NPT, 0-125 PSI 07R313AC PARKER	1
PARK2020N2	Racor 2020SM 2020 2 Micron Diesel Fuel Filter Parker 2020SM-OR, 2020N-02	6
PARK205211	Parker Coil 208V 205211	1
PARK44GBZB	CPI FEMALE CONNECTOR 1/4" OD X 1/4" FEMALE NPT PARKER	6
PARK76300400	PLUG-IN MINI FLOW REGULATOR D4 PARKER	7
PARKK4515N14160	MANOMETRO 1.5 DIAL 1/4-18 NPT	3
PEPP134133	SENSOR OPTICO DE REFLEXION CON DIFUSION DE FONDO RLK28-8-H-2000-IR-Z/31/116 PEPPER + FUCHS	1
PEPP3RG40130KB00PF	SENSOR INDUCTIVO Sn 5mm TAMAÑO M18 MONTAJE RASANTE NA 24-240V PEPPER + FUCHS	8
PEPPNBB412GM50E2V1	INDUCTIVE SENSOR PEPPERL + FUCHS	2
PEPPNBB518GM50E2V1	INDUCTIVE PROXIMITY SENSOR,CYLINDRICALI,5mm, PNP-NO,30VDC,200mA, M18 FLUSH,IP67 NBB5-18GM50-E2-V1 PEPPERL+FUCHS 084195	2
PEPPNBB818GM50E2V1	SENSOR INDUCTIVO Sn 8mm MONTAJE RASANTE NA CONECTOR MACHO M12x1 4 PINES IP67	5
PEPPNBN412GM60A2V1	INDUCTIVE SENSOR PEPPERL + FUCHS	2
PEPPNJ15U1A2	PEPPERL+FUCHS NJ15+U1+A2 INDUCTIVE SENSOR	7
PEPPNJ40U1E2	SENSOR INDUCTIVO NO EMPOTRABLE 10-60VDC 40mm PNP CONEXION 20x1.5mm	13
PHOE1681130	CONECTOR M12 4 PINES P/SENSOR INDUCTIVO SACC-M12FR-4CON-PG7	14
PHOE3200027	FERRULE AI 0,75- 8 BU - 18 AWG, SLEEVE LENGTH 8 MM, PHOENIX CONTACT 3200027	200
PHOE3200580	FERRULE AI 2,5 - 18 BU -14 AWG, SLEEVE LENGTH 18 MM, BLUE, PHOENIX CONTACT 3200580	300
PHOEATPUT	PLACA SEPARADORA PARA BORNE DE PASO PART No. ATP-UT MARCA: PHOENIX CONTACT	110
PIZZFS2896D024M2	INTERRUPTOR LIMITADOR SEGURIDAD PIZZATO FS 2896D024-M2	2
PNEUPC38N04	Male Straight 3/8" 1/2" PC 3/8-N04 3/8" 1/2" NPT	130
POLY53784	Separator Plate Upper Poly-Clip System 53784	1
POLY75834	Separator Plate Assy Lowerr Poly-Clip System 75834	1
PROM1001586	SENSOR pH 1-12 MAX 6BAR 80 ° C CONDUCTIVITY OVER 50µS / cm LONG 120mm 1001586 PROMINENT	2
PULSW209729TFE	ANILLO 2.6mm X 120mm PULSAFEEDER	8
RANCK50P1127001	Cold Control Thermostat for Refrigerators Freezers A10... K50P1127001 Ranco	4
REGOA7708L	Quick-Acting Hose-End Valves for Bobtail Delivery Trucks and Dispensing Stations A7708L REGO	1
RELI3141-WP	ESCOBILLA 3141-WP P/MOTOR DC 200 HP RELIANCE	8
REX614421	Flat Top Conveyor Chain Sprocket - 21 Teeth, 1 in Bore Dia., Thermoplastic Elastomer Material Rexnord	2
REXN7300025	Elastomer Coupling Element, E10 Omega	1
REXNZBR5315	Roller Bearing Cartridge - Spherical Roller, 3-15/16 in Bore, 10-7/8 in OD,Non-Expansion Bearing Fixed Cast Iron Rexnord	2
REXR5340053000	VALVULA REGULADORA DN10mm 43,5/145,03PSI ROSCAR ACERO MODELO 534005 300 0 REXROTH	2
REXR5710300100	VALVULA NEUMATICA 1/8" -0,95/10bar ACCIONAMIENTO NEUMATICO REXROTH	1

REXRR412010713	INTERRUPTOR DE PRESION 0.5-16Bar 1/4 NPT SPDT 250v 7A IP65 CONECTOR CUADRADO 3P AVENTIS REXROTH R412010713	3
SCHM101083036	PLUG 1 AZ 15/16-B1 SCHMERSAL 101083036	100
SCHM101157381	SWITCH AZ 16-02ZVRK-M20 SCHMERSAL 101157381	100
SCHMAZ1516B12177	ACTUADOR RECTO GUIA CENTRADO AZ 15/16-B1-2177 SCHMERSAL P/N 101126794 Unguided Guards	15
SCHMBPS33	SENSOR MAGNETICO EMISOR SEGURIDAD PUERTAS MAGNETICAMENTE CODIFICADO	15
SCHN24396	Circuit breaker C60N SCHN C60N 230/400V /Magnetotérmico, 1P, 2 A, C curva, 6 KA, 50 KA	6
SCHN9001KR1BH13	PUSHBUTTON Black Flush 600VAC 10A; 30MM TYPE K ; 3 A at 240 V, AC-15, A600-Q600 conforming to NEMA	5
SCHN9001KR1GH5	PUSHBUTTON green flush ; 600VAC ; 10A; 30MM TYPE K ; 3 A at 240 V, AC-15, A600-Q600 SCHNEIDER	5
SCHN9001KR9RH13	Push Buttons; Push-pull; Red ; 30 mm ; 3 A at 240 V, AC-15, SCHNEIDER	3
SCHNA9F73103	CIRCUIT BREAKER; IC60A 1P3A B CURVE SCHNEIDER	2
SCHNA9F74102	Circuit breaker; Magnetothermal- IC60N 1P; 2A; Ue 133V/ RANGO 240V CURVE C SCHNEIDER	4
SCHNA9F74201	IC60N - miniature circuit breaker - 2P - 1A - C curve SCHNEIDER	2
SCHNA9F79116	IC60N MINIATURE CIRCUIT BREAKER 1P 16A C CURVE SCHNEIDER ELECTRIC	2
SCHNAB3RV162U	BLOQUE DISTRIBUIDOR CABLE 600V 145/24A SCHNEIDER ELECTRIC	9
SCHNABL8REM24050	Regulated SMPS - 1 or 2-phase - 100..240 V AC - 24 V - 5 A SCHNEIDER	1
SCHNABLS1A24050	ABLS1A24050 : Regulated Power Supply, 100-240V AC, 24V 5 A, single phase, Optimized Schneider Electric	1
SCHNATV320U04M3C	Variable speed drive, Altivar Machine ATV320, 0.37 kW, 200...240 V, 3 phases, compact SCHNEIDER ELECTRIC ATV320U04M3C	2
SCHNATV320U07M2C	variable speed drive, ATV320, 0.75 kW, 200...240 V, 1 phase, compact. SCHNEIDER ELECTRIC ATV320U07M2C	1
SCHNATV320U07M3C	Variable speed drive, ATV320, 0.75 kW, 200...240 V, 3 phases, compact SCHNEIDER ELECTRIC ATV320U07M3C	2
SCHNATV320U07N4C	VARIABLE SPEED DRIVE- ATV320 compatto 0,75KW 500V TRI SUPPLY SCHNEIDER ELECTRIC	1
SCHNATV320U15M2C	variable speed drive, ATV320, 1.5 kW, 200...240 V, 1 phase, compact. SCHNEIDER ELECTRIC ATV320U15M2C	2
SCHNATV71H075N4	VARIABLE SPEED DRIVE ATV71 - 0.75KW-1HP - 480V - EMC FILTER-GRAPHIC TERMINAL SCHNEIDER ELECTRIC	1
SCHNCAD32F7	TeSys D control relay - 3 NO + 2 NC - <= 690 V - 110 V AC standard coil SCHNEIDER	5
SCHNDL1BEB	BOMBILLO PILOTO 7W 24VAC/VDC BAYONETA TIPO BA 15D INCANDESCENTE SCHNEIDER	8
SCHNDL1BEB5	BOMBILLO INCANDESCENTE 5W 24vDC	4
SCHNDZ5CA005	TERMINAL PUNTA 0,5mm AISLADO 16-22AWG BLANCO N° Parte DZ5-CA005-TELEMECANIQUE	300
SCHNDZ5CA015	Extremo de Cable Con Portaetiquetas de Marcador - Tamaño Medio - 1,5 Mm <sup>2</sup> - Negro DZ5CA015	600
SCHNDZ5CA042	Extremo de Cable Con Portaetiquetas a Presión - Tamaño Medio - 4 Mm <sup>2</sup> - Naranja Schneider DZ5CA042	700
SCHNDZ5CE005	Single Conductor Insulated Cable End - Medium - 0.5 Mm <sup>2</sup> - White DZ5CE005	400
SCHNDZ5CE010	TERMINAL PUNTA 1mm AISLADO 18-20 AWG ROJO SCHNEIDER	100
SCHNDZ5CE015	Circular Connector CABLE END 16AWG DZ5 DZ5CE015	720
SCHNDZ5CE025	CIRCULAR CONNECTOR CABLE END 14AWG DZ5CE025 SINGLE CONDUCTOR, GREY, 2.5MM <sup>2</sup> , MEDIUM SIZE, SCHNEIDER ELECTRIC	900
SCHNGB2CB07	TeSys GB2 - thermal-magnetic circuit breaker; 1P ; In 2 A; 26 A ; Ue: 250 V AC 50/60 Hz: SCHNEIDER	4
SCHNGV2MC02	TeSys GV2 - Enclosure for TeSys GV2ME - IP55 SCHNEIDER ELECTRIC	8

SCHNGV2ME05	TESYS GV2-CIRCUIT BREAKER-THERMAL-MAGNETIC- 0.63...1 A -SCREW CLAMP TERMINALS SCHNEIDER ELECTRIC	5
SCHNGV2ME06	TESYS GV2-CIRCUIT BREAKER-THERMAL-MAGNETIC - 1...1.6 A - SCREW CLAMP TERMINALS SCHNEIDER ELECTRIC	18
SCHNGV2ME07	TESYS GV2-CIRCUIT BREAKER-THERMAL-MAGNETIC - 1.6...2.5 A - SCREW CLAMP TERMINALS SCHNEIDER ELECTRIC	8
SCHNGV2ME10	TeSys GV2-Circuit breaker-thermal-magnetic; In 4/6,3 A; 3P ; Ue 690 V AC 50/60 SCHNEIDER	8
SCHNGV2ME14	INTERR. SALVAMOTER 6-10A SCHNEIDER GV2ME14	12
SCHNGV2ME20	TESYS GV2-CIRCUIT BREAKER THERMAL MAGNETIC; In: 13/18A; 3P; Ue: 690 V AC 50/60 Hz	9
SCHNGV2ME21	TeSys GV2-Circuit breaker-thermal-magnetic - 17...23 A - screw clamp terminals SCHNEIDER	4
SCHNGV2ME22	Relés de sobrecarga térmica 5,5 - 8A GV2ME22 SCHNEIDER	1
SCHNGV2ME32	TESYS GV2-CIRCUIT BREAKER-THERMAL-MAGNETIC - 24...32 A - SCREW CLAMP TERMINALS SCHNEIDER ELECTRIC	12
SCHNGV2RT08	GUARDAMOTOR 2,5-4A TRIPOLAR GV2-RT08 SHNEIDER ELECTRIC	3
SCHNGV3P40	TESYS GV3-CIRCUIT BREAKER-THERMAL-MAGNETIC - 30...40A SCHNEIDER ELECTRIC	7
SCHNGV3P50	TESYS GV3-CIRCUIT BREAKER-THERMAL-MAGNETIC - 37...50A SCHNEIDER ELECTRIC	3
SCHNGV3P65	TESYS GV3-CIRCUIT BREAKER-THERMAL-MAGNETIC - 48...65A SCHNEIDER ELECTRIC	6
SCHNGVAE11	TESYS GV2 & GV3 - AUXILIARY CONTACT - 1 NO + 1 NC SCHNEIDER ELECTRIC	95
SCHNGVAN11	TESYS GV2 & GV3 - AUX CONTACT BLOCK; 1 NO+1 NC ; Ue: 48/690 V AC; 24...240 V CA; Ith:17 V	32
SCHNLA1DN22	Auxiliary contact block LA1 DN22 Schneider	4
SCHNLAD8N11	Auxiliary contact block, TeSys Deca, 1NO + 1NC, side mounting, screw clamp terminals Schneider Electric LAD8N11	19
SCHNLADN02	Auxiliary contact block, TeSys Deca, 2NC, front mounting, screw clamp terminals LADN02	10
SCHNLADN04	Auxiliary contact block, TeSys Deca, 4NC, front mounting, screw clamp terminals LADN04	8
SCHNLADN20	TESYS D - AUXI CONTACT BLOCK - 2 NO; In: 6 A at 120 V AC-15 y 1.04 A at 690 V AC-15; Ue: 690 V AC 25...400 Hz	13
SCHNLADN22	TeSys D - auxiliary contact block - 2 NO + 2 NC - screw-clamps terminals SCHNEIDER	26
SCHNLADN31	TeSys D - AUXIL CONTACT BLOCK 3 NO+1 NC; In:6 A at 120 V AC-15; Ue: 690 V AC 25...400 Hz	9
SCHNLADT2	TESYS D - TIME DELAY AUXILIARY CONTACT BLOCK - 1 NO + 1 NC SCREW CLAMP TERMINALS SCHNEIDER ELECTRIC	11
SCHNLC1D09B7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 9 A - 24 V AC coil - SCHNEIDER	12
SCHNLC1D09BD	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 9 A - 24 V DC COIL SCHNEIDER ELECTRIC	6
SCHNLC1D09F7	SCHNEIDER ELECTRIC LC1D09F7 TESYS D CONTACTOR 3P(3 NO) AC-3 440V 9A 110 VAC COIL	110
SCHNLC1D09M7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 9 A - 220 V AC coil SCHNEIDER	48
SCHNLC1D115F7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 115 A - 110 V AC 50/60 Hz coil SCHNEIDER	13
SCHNLC1D115M7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 115 A - 220 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	8
SCHNLC1D12B7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 12 A - 24 V AC COIL SCHNEIDER ELECTRIC	18
SCHNLC1D12BD	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 12 A - 24 V DC COIL SCHNEIDER ELECTRIC	12
SCHNLC1D12F7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 12 A - 110 V AC coil SCHNEIDER	24
SCHNLC1D12M7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 12 A - 220 V AC COIL SCHNEIDER ELECTRIC	44
SCHNLC1D150F7	CONTATTORE 150A 110VAC 50 SCHNEIDER LC1D150F7	3

SCHNLC1D150M7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 150 A - 220 V AC 50/60 HZ COILSCHNEIDER ELECTRIC	3
SCHNLC1D18B7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 18 A - 24 V AC COIL SCHNEIDER ELECTRIC	10
SCHNLC1D18BD	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 18 A - 24 V DC COIL SCHNEIDER ELECTRIC	4
SCHNLC1D18F7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 18 A - 110 V AC coil SCHNEIDER	40
SCHNLC1D18M7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 18 A - 220 V AC coil SCHNEIDER	18
SCHNLC1D25B7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 25 A - 24 V AC COIL SCHNEIDER	19
SCHNLC1D25BD	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 25 A - 24 V DC coil Schneider Electric LC1D25BD	9
SCHNLC1D25F7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 25 A - 110 V AC COIL SCHNEIDER ELECTRIC	1
SCHNLC1D25M7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 25 A - 220 V AC coil SCHNEIDER	9
SCHNLC1D32B7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 32 A - 24 V AC coil SCHNEIDER	8
SCHNLC1D32BD	Schneider Electric LC1D32BD TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 32 A - 24 V DC coil	2
SCHNLC1D32F7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 32 A - 110 V AC coil SCHNEIDER	3
SCHNLC1D32M7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 32 A - 220 V AC coil SCHNEIDER	4
SCHNLC1D38M7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 38 A - 220 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	2
SCHNLC1D40AB7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 40 A - 24 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	5
SCHNLC1D40AF7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 40 A - 110 V AC 50/60 Hz coil SCHNEIDER	6
SCHNLC1D40AM7	TeSys D contactor - 3P(3 NO) - AC-3 - <= 440 V 40 A - 220 V AC 50/60 Hz coil	3
SCHNLC1D50AB7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 50 A - 24 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	3
SCHNLC1D50ABD	Schneider Electric LC1D50ABD TeSys Deca contactor - 3P(3 NO) - AC-3/AC-3e - <= 440 V 50 A - 24 V DC standard coil	3
SCHNLC1D50AF7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 50 A - 110 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	13
SCHNLC1D50AM7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 50 A - 220 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	13
SCHNLC1D50AR7	TeSys D - Contactor - 3P AC-3 - <=440 V 50 A - bobina 440 V CA 50/60 Hz.SCHNEIDER ELECTRIC LC1D50AR7	1
SCHNLC1D65AF7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 65 A - 110 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	4
SCHNLC1D65AM7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 65 A - 220 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	3
SCHNLC1D80F7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 80 A - 110 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	7
SCHNLC1D80M7	TESYS D CONTACTOR - 3P(3 NO) - AC-3 - <= 440 V 80 A - 220 V AC 50/60 HZ COIL SCHNEIDER ELECTRIC	8
SCHNLC1D95M7	CONTATTORE 95A 220VAC 50 SCHNEIDER LC1D95M7	6
SCHNLC1F185M7	TeSys F contactor - 3P (3 NO) - AC-3 - <= 440 V 185 A - coil 220 V AC SCHNEIDER ELECTRIC LC1F185M7	1
SCHNLC1F265M7	LC1F265M7 : TeSys F contactor - 3P (3 NO) - AC-3 - <= 440 V 265 A - coil 220 V AC Schneider Electric	1
SCHNLC1K0610P7	Schneider LC1K0610P7 contactor, TeSys K, 3P, AC-3 440V 6A, aux. 1NO, 230V AC coil, screw clamp terminals	3
SCHNLC2K0601F7	TESYS K REVERSING CONTACTOR ; 3P (3NA) AC-3 ;In 6 A at <= 440 V AC AC-3 ; 1 NC ; 110 V AC COIL	1
SCHNLE1M35M7	TESYS LE - ENCLOSED DOL STARTER ; In 16 A AC-3; 220 V AC COIL - WITHOUT RELAY	1
SCHNLE1M35M716	TESYS LE - ENCLOSED DOL STARTER ; In: 8/11.5 A; Uc: 220 V AC 50/60 Hz; 220 V AC COIL	1
SCHNLP1K0910BD	TeSys K contactor - 3P - AC-3 <= 440 V 9 A - 1 NO aux. - 24 V DC coil SCHNEIDER ELECTRIC LP1K0910BD	4



SCHNLP1K1210BD3	TESYS K CONTACTOR - 3P; 3 NA ; In: 20 A <= 440 V AC AC-1; y AC-3 <= 440 V 12 A ;1 NO AUX. - 24 V DC COIL	2
SCHNLP4K0610BW3	LP4K0610BW3 : TeSys K contactor - 3P - AC-3 <= 440 V 6 A - 1 NO aux. - 24 V DC coil	3
SCHNLR2K0307	TESYS K - DIFFERENTIAL THERMAL OVERLOAD RELAYS ; In: 1.2/1.8 A - CLASS 10A; 1 NA + 1 NC, Ue: 690 V AC AC-15	1
SCHNLR9F5363	TeSys LRF - electronic thermal overload relay; 3P; In : 48/80 A; class 10; 1 NA+1 NC; Ue:1000 V AC 50/60 Hz	1
SCHNLR9F5367	TeSys LR9 Overload Relays - LR9F5367 - SCHNEIDER	1
SCHNLRD05	TESYS LRD THERMAL OVERLOAD RELAYS - 0.63...1 A - CLASS 10A SCHNEIDER ELECTRIC	2
SCHNLRD07	TeSys LRD thermal overload relays - 1.6...2.5 A - class 10A SCHNEIDER	7
SCHNLRD08	TeSys LRD thermal overload relays - 2.5...4 A - class 10A SCHNEIDER	9
SCHNLRD10	TeSys LRD thermal overload relays - 4...6 A - class 10A SCHNEIDER	19
SCHNLRD14	TESYS LRD THERMAL OVERLOAD RELAYS - 7...10 A - CLASS 10A SCHNEIDER ELECTRIC	13
SCHNLRD16	TESYS LRD THERMAL OVERLOAD RELAYS - 9...13 A - CLASS 10A SCHNEIDER ELECTRIC	12
SCHNLRD21	TESYS LRD THERMAL OVERLOAD RELAYS - 12...18 A - CLASS 10A SCHNEIDER ELECTRIC	13
SCHNLRD22	TESYS LRD THERMAL OVERLOAD RELAYS; In: 16/24 A; Ue:690 V AC 0...400 Hz ;1 NA + 1 NC; CLASS 10A	9
SCHNLRD32	RELE TERMICO 23-32A SCHNEIDER LRD32	4
SCHNLRD325	TeSys LRD thermal overload relays - 17...25 A - class 10A Schneider Electric LRD325	3
SCHNLRD332	TeSys LRD thermal overload relays - 23...32 A - class 10A SCHNEIDER ELECTRIC LRD332	5
SCHNLRD3355	TESYS LRD THERMAL OVERLOAD RELAYS - 30...40 A - CLASS 10A SCHNEIDER ELECTRIC	2
SCHNLRD3357	TeSys D - Relés de protección térmica - 37...50 A - clase 10A SCHNEIDER	6
SCHNLRD3359	Relé de sobrecarga térmica para motor TeSys - 48-65 A - clase 10A SCHNEIDER	4
SCHNLRD3363	TeSys D - Relés de protección térmica - 63...80 A - clase 10A SCHNEIDER	4
SCHNLRD3365	TeSys D - Relés de protección térmica - 80...104 A - clase 10A SCHNEIDER	3
SCHNLRD340	TeSys D - Relés de protección térmica - 30...40 A - clase 10A - Everlink SCHNEIDER	4
SCHNLUA1C20	Signalling contacts LUA - 2 NO Schneider Electric LUA1C20	22
SCHNLX1D6M7	TeSys D - contactor coil - LX1D6 - 220 V AC 50/60 Hz for 80 & 95 A contactor SCHNEIDER	8
SCHNLXD1F7	TeSys D - contactor coil - LXD1 - 110 V AC 50/60 Hz for 9... 38 A contactor SCHNEIDER	13
SCHNLXD1R7	TeSys D - contactor coil - LXD1 - 440 V AC 50/60 Hz for 9... 38 A contactor SCHNEIDER	24
SCHNLXD3M7	TeSys D - contactor coil - LXD3 - 220 V AC 50/60 Hz for 40... 65 A contactor	7
SCHNNSYTBP11116	CAJA PLAST 116x116x62mm GRIS SCHNEIDER ELECTRIC	2
SCHNNSYTRAP22	PLACA DE SEPARACIÓN 2PTOS, 2MM, PARA TERMINALES SCR NSY TRV22,TRV42,TRV62,TR	42
SCHNNSYTRV42	Linerly passthrough terminal block - 4mm² 32A SCHNEIDER NSYTRV42 (PACKAGE OF 50 PIECES)	800
SCHNPX32M444	Enchufe CEE, conectores de desplazamiento de aislamiento, 32A, 3p+T, 480-500 V AC, IP44	8
SCHNRGZE1S48M	Socket, separate contact, 5 A, relay type RXG2, screw connector, 250 V AC. SCHNEIDER ELECTRIC RGZE1S48M	332
SCHNRM22LA32MR	RELE CONTROL DE NIVEL V SCHNEIDER ELECTRIC	1
SCHNRPM42F7	Power plug-in relay, 15 A, 4 CO, with LED, with lockable test button, 120 V AC RPM42F7 Schneider	30

SCHNRPZF4	Power relays, 16 A screw clamp terminals, mixed contact RPZF4 Schneider	30
SCHNRSB1A120BD	Interface plug-in relay - Zelio RSB - 1 C/O - 24 V DC - 12 A SCHNEIDER	2
SCHNRSB2A080BDPV	Interface plug in relay pre assembled 8A with LED, 24V DC RSB2A080BDPV Schneider	60
SCHNRSL1AB4BD	Slim interface plug-in relay - Zelio RSL - 1 C/O standard - 24 V DC - 6 A SCHNEIDER	8
SCHNRSL1PVBU	RELE 1NA+1NC+BASE 24 VITE SCHNEIDER RSL1PVBU	10
SCHNRSL1PVPU	Slim relay mounted on screw socket with LED and protection circuit, 230 V SCHNEIDER	2
SCHNRUMC21B7	RUMC21B7 : universal plug-in relay - Zelio RUM - 2 C/O - 24 V AC - 10 A	36
SCHNRUMC21BD	UNIVERSAL PLUG-IN RELAY - ZELIO RUM - 2 C/O - 24 V DC - 10 A 8 PINES	22
SCHNRUMC21JD	Harmony, relé enchufable universal, 10 A, 2 contactos conmutados, con botón de prueba bloqueable, 12 V CC	20
SCHNRUMC21P7	Universal plug-in relay - Zelio RUM - 2 C/O - 230 V AC - 10 A SCHNEIDER	40
SCHNRUMC22BD	Harmony, Universal plug-in relay, 10 A, 2 CO, with LED, with lockable test button, 24 V DC Schneider RUMC22BD	20
SCHNRUMC31B7	RUMC31B7 : universal plug-in relay - Zelio RUM - 3 C/O - 24 V AC - 10 A	16
SCHNRUMC31BD	Universal plug-in relay - Zelio RUM - 3 C/O - 24 V DC - 10 A SCHEINER	26
SCHNRUMC31F7	Universal plug-in relay - Zelio RUM - 3 C/O - 120 V AC - 10 A SCHNEIDER	10
SCHNRUMC31JD	Harmony, relé enchufable universal, 10 A, 3 contactos conmutados, con botón de prueba bloqueable, 12 V CC	10
SCHNRUMC31P7	universal plug-in relay - Zelio RUM - 3 C/O - 230 V AC - 10 A Schneider Electric RUMC31P7	37
SCHNRUMC3AB2B7	Universal plug-in relay - Harmony RUM - 3 C/O - 24 V AC - 10 A - with LED RUMC3AB2B7 Schneider	4
SCHNRUZC2M	Socket RUZ - mixed contact - 10 A - < 250 V - connector - for relay RUMC2.. SCHNEIDER	103
SCHNRUZC3M	Socket RUZ - mixed contact - 10A - < 250V - connector -for relay RXM2- RUMC3 SCHNEIDER ELECTRIC RUZC3M	68
SCHNRXG21BD	interface plug-in relay - Zelio RXG - 2 C/O standard - 24V DC - 5A - with LTB. SCHNEIDER ELECTRIC RXG21BD	295
SCHNRXG21M7	RXG21M7 Harmony, Interface plug-in relay, 5 A, 2 CO, with lockable test button, 220 V AC	10
SCHNRXM2AB2B7	Miniature Plug-in relay - Zelio RXM 2 C/O 24 V AC 12 A with LED SCHNEIDER	30
SCHNRXM2AB2BD	Schneider Electric RXM2AB2BD Harmony, Miniature plug-in relay, 12 A, 2 CO, with LED, with lockable test button, 24 V DC	2
SCHNRXM3AB2BD	Miniature Plug-in relay - Zelio RXM 3 C/O 24 V DC 10 A with LED SCHNEIDER ELECTRIC RXM3AB2BD	36
SCHNRXM4AB1B7	Schneider Electric RXM4AB1B7 Miniature plug-in relay, 6 A, 4 CO, 24 V AC	40
SCHNRXM4AB1BD	SCHNEIDER ELECTRIC MINIATURE PLUG-IN RELAY - ZELIO RXM 4 C/O 24 V DC 6 A	152
SCHNRXM4AB1E7	Harmony, Miniature plug-in relay, 6 A, 4 CO, with lockable test button, 48 V AC	10
SCHNRXM4AB1F7	Relé de miniatura enchufable - Zelio RXM - 4 CA - 120 V CA SCHNEIDER	29
SCHNRXM4AB1P7	Relé de miniatura enchufable - Zelio RXM - 4 CA - 230 V CA SCHNEIDER	1
SCHNRXM4AB2BD	Miniature Plug-in relay - Zelio RXM - 4 CA - 24 V CC - Led SCHNEIDER	18
SCHNRXZE2M114M	Socket RXZ - mixed contact - 10A - < 250V - connector - for relay RXM2.., RXM4.. SCHNEIDER	150
SCHNRXZE2S111M	SOCKET RXZ - SEPARATE CONTACT - 10 A - < 250 V - CONNECTOR - FOR RELAY RXM3 SCHNEIDER	30
SCHNSSP1A125BD	SSP1A125BD Harmony, Solid state relay, 25 A, panel mount, zero voltage switching, input 3...32 V DC, output 24...300 V AC	10
SCHNSZ1RV1202	POTENCIOMETRO 2,5KOHM 1/2W ALTIVAR 61/21 SCNEIDER ELECTRIC	3

SCHNVCF1GE	TeSys Vario enclosed, emergency switch disconnecter, 25A SCHNEIDER	10
SCHNVCF2GE	TeSys Vario enclosed, emergency switch disconnecter, 32A SCHNEIDER	5
SCHNVCF5GEN	TeSys Vario/Mini-Vario - VCF5GEN - SCHNEIDER	1
SCHNVM18PNOQ	Ultrasonic proximity sensor vm18pnoq SCHNEIDER	3
SCHNXACA871	Pendant control station plastic, yellow, 8 push buttons XACA871 Schneider	2
SCHNXALB102	CONTROL STATION XAL-B - START OR STOP FUNCTION - 1 NO, SCHNEIDER ELECTRIC XALB102, XAL-B102	1
SCHNXALD01	PULSANTIERA VUOTA 1 FORO SCHNEIDER XALD01	22
SCHNXALD02	Dark grey empty enclosure lid with light grey base - 2 cut-outs SCHNEIDER ELECTRIC	1
SCHNXALD02H7	Dark grey empty enclosure lid with light grey base - 2 cut-outs-UL/CSA certified	18
SCHNXALD03	Dark grey empty enclosure lid with light grey base - 3 cut-outs SCHNEIDER	13
SCHNXALD03H7	Schneider Eletric XALD03H7 Harmony XALD, XALK, Empty control station, plastic, dark grey lid, light grey base, 3 cut-out	7
SCHNXALK178	Yellow station - 1 red mushroom head pushbutton Ø40 turn to release 1NC SCHNEIDER	10
SCHNXAPD1201	CAJA PULSADOR ACERO 1 HUECO 22mm, 80x80x51,5mm XAPD1201 SCHNEIDER ELECTRIC	1
SCHNXAPD2202	CAJA BOTONES 2 HUECOS 22MM	6
SCHNXAPD2204	Schneider XAPD2204 Harmony XAP, XB2 SL, Empty control station, zinc alloy, grey, M20, 4 cut-outs 22mm, 80 x 130 x 51,5	2
SCHNXB2BD21	Black selector switch Ø 22 handle 2 positions - 1NO XB2BD21 schneider	5
SCHNXB4BA21	Black flush complete pushbutton Ø22 spring return 1NO "unmarked" SCHNEIDER	1
SCHNXB4BA31	Green flush complete pushbutton Ø22 spring return 1NO "unmarked" SCHNEIDER	70
SCHNXB4BA3311	Green flush complete pushbutton Ø22 spring return 1NO "I" SCHNEIDER	13
SCHNXB4BA42	Red flush complete pushbutton Ø22 spring return 1NC "unmarked" SCHNEIDER	40
SCHNXB4BA4322	PUSHBUTTON 22MM RASANTE ROJO C ""O"" - PART No. XB4BA4322	9
SCHNXB4BA51	Yellow flush complete pushbutton Ø22 spring return 1NO "unmarked" SCHNEIDER	38
SCHNXB4BA61	Blue flush complete pushbutton Ø22 spring return 1NO "unmarked" SCHNEIDER	5
SCHNXB4BD21	black selector switch Ø22 2-position stay put 1NO 600V SCHNEIDER ZB4BD2 + ZB4BZ101 = XB4BD21	120
SCHNXB4BD25	Black selector switch Ø22 2-position stay put 1NO+1NC 600V SCHNEIDER	3
SCHNXB4BD33	Black selector switch Ø22 3-position stay put 2NO 600V SCHNEIDER	40
SCHNXB4BD41	Selector switch, metal, black, Ø22, 2 positions, spring return from right to left, 1NO Schneider Electric XB4BD41	6
SCHNXB4BD53	Black selector switch Ø22 3-position spring return 2NO 600V SCHNEIDER	8
SCHNXB4BG21	Black selector switch Ø22 2-position stay put 1NO 600V SCHNEIDER ZB4BG2 + ZB4BZ101 = XB4BG21	43
SCHNXB4BJ21	Selector switch, metal ,black Ø22, long handle, 2 positions, stay put, 1 NO Schneider Eletric XB4BJ21 (ZB4BJ2 + ZB4BZ101	5
SCHNXB4BJ33	SCHNEIDER ELECTRIC BLACK SELECTOR SWITCH Ø22 3-POSITION STAY PUT 2NO 600V	38
SCHNXB4BK123B5	Green complete illuminated selector switch Ø22 2-position stay put 1NO+1NC 24V SCHNEIDER	2
SCHNXB4BK123M5	Green complete illuminated selector switch Ø22 2-position stay put 1NO+1NC 230VSCHNEIDER	15
SCHNXB4BK125B5	Orange complete illuminated selector switch Ø22 2-position stay put 1NO+1NC 24V SCHNEIDER	5

SCHNXB4BL73415	Green flush/red projecting illuminated double-headed pushbutton Ø22 1NO+1NC 24V SCHNEIDER	2
SCHNXB4BP31	Green projecting complete pushbutton Ø22 spring return 1NO "unmarked" SCHNEIDER	20
SCHNXB4BP42	Red projecting complete pushbutton Ø22 spring return 1NC "unmarked" SCHNEIDER	7
SCHNXB4BS8442	Red Ø40 Emergency stop, switching off Ø22 latching turn release 1NC ZB4BS844 + ZB4BZ102 SCHNEIDER	10
SCHNXB4BT842	Red Ø40 Emergency stop, switching off Ø22 latching push pull 1NC SCHNEIDER	31
SCHNXB4BV64	Red complete pilot light Ø22 plain lens with BA9s bulb 250V SCHNEIDER	2
SCHNXB4BVB4	Schneider XB4BVB4 Harmony XB4, Pilot light, metal, red, Ø22, plain lens with integral LED, 24 V AC/DC	13
SCHNXB4BVG3	Green complete pilot light Ø22 plain lens with integral LED 110...120V SCHNEIDER	15
SCHNXB4BVG4	RED PILOT LIGHT 22mm 110-120VAC METAL LED SERIES XB4 SHNEIDER ELECTRIC	17
SCHNXB4BVM1	LUZ PILOTO BLANCA 22mm 230-240Vca METALICA LED SERIE XB4 HARMONY TIPO SCHNEIDER	1
SCHNXB4BW33B5	Green flush complete illum pushbutton Ø22 spring return 1NO+1NC 24V SCHNEIDER	5
SCHNXB4BW3465	Red flush complete illum pushbutton Ø22 spring return 1NO+1NC 250V SCHNEIDER	2
SCHNXB4BW34B5	XB4BW34B5 Harmony XB4, Illuminated push button, metal, flush, red, Ø22, spring return, 1 NO + 1 NC 24 V AC/DC	1
SCHNXB5AA31	Harmony XB5, Pulsador, plástico, verde, Ø22, retorno por resorte, sin marcar, 1 NA Schneider	2
SCHNXB5AA42	Red flush complete pushbutton Ø22 spring return 1NC unmarked SCHNEIDER	2
SCHNXB5AD53	SELECTOR SWITCH 230VAC 2AMP XB5 + OPTIONS SCHNEIDER	1
SCHNXB5AS8442	Red Ø40 Emergency stop, switching off pushbutton Ø22 latching turn release 1NC SCHNEIDER	22
SCHNXCKJ10511	Limit switch XCKJ - thermoplastic roller lever - 1NC+1NO - snap action - Pg13 SCHNEIDER	1
SCHNXCKJ10513	LIMIT SWITCH XCKJ - STEEL ROLLER LEVER - 1NC+1NO - SNAP ACTION - PG13 SCHNEIDER ELECTRIC	17
SCHNXCKJ10559	LIMIT SWITCH XCKJ - THERMOPLASTIC ROUND ROD LEVER 6 MM - 1NC+1NO SCHNEIDER ELECTRIC	1
SCHNXCKJ1161	Schneider XCKJ1161 Limit switch, Limit switches XC Standard, XCKJ, metal end plunger, 1C/O, snap action, Pg13	1
SCHNXCKM110	LIMIT SWITCH XCKM - METAL END PLUNGER - 1NC+1NO SCHNEIDER ELECTRIC	5
SCHNXCKM115	Limit switch XCKM - thermoplastic roller lever - 1NC+1NO - snap action SCHNEIDER ELECTRIC	8
SCHNXCKM121	LIMIT SWITCH XCKM - THERMOPLASTIC ROLLER LEVER PLUNGER - 1NC+1NO SCHNEIDER ELECTRIC	7
SCHNXCKP2101G11	Schneider XCKP2101G11 Limit switch Standard with rotary head w/o operating lever, 1NC+1 NO, snap, Pg11	3
SCHNXCKP2110G11	Interrupor de posición xckp - extremo émbolo metal - 1nc+1no - rápida	7
SCHNXCKP2118G11	LIMIT SWITCH XCKP - THERMOPLASTIC ROLLER LEVER - 1NC+1NO SCHNEIDER ELECTRIC	7
SCHNXCMD2115L1	limit switch XCMD - thermoplastic roller lever - 1NC+1NO - snap - 1 m SCHNEIDER ELECTRIC XCMD2115L1	5
SCHNXCMD2116L1	Schneider XCMD2116L1 Limit switch, Limit switches XC Standard, XCMD, steel roller lever, 1NC+1 NO, snap, 1 m	6
SCHNXCSMP7002	CODED MAGNETIC SWITCH XCSMP - 2 NC + 1 NO - 1 NC STAGGERED - 2M SCHNEIDER ELECTRIC	60
SCHNXCSE7311	INT. SOLENOIDE FUNC. C/CHAVE DE METAL XCSE - 2NF+1NA - BBM LENTO - PG13,5 -	3
SCHNXCSTE7311	Plastic safety switch XCSTE7311 Schneider	12
SCHNXCSZ03	PIVOTING ACTUATOR - FOR METAL SWITC SCHNEIDER ELECTRIC	3
SCHNXCSZ13	PALANCA DE SEGURIDAD SCHNEIDER ELECTRIC	11

SCHNXD4PA24	JOYSTICK CONTROLLER Ø22 4-DIRECTION SPRING RETURN 1NO PER DIRECTION SCHNEIDER ELECTRIC	3
SCHNXENG1191	SPRING RETURN CONTACT BLOCK - 1 NC + 2 NO - FRONT MOUNTING SCHNEIDER ELECTRIC	20
SCHNXMLA010A2S11	pressure switch XMLA 10 bar - fixed scale 1 threshold - 1 C/O Schneider electric XMLA010A2S11	2
SCHNXMLA500D2S11	Pressure switch XMLA 500 bar - fixed scale 1 threshold - 1 C/O SCHNEIDER	1
SCHNXMLB010A2S12	PRESSURE SWITCH XMLB 10 BAR - ADJUSTABLE SCALE 2 THRESHOLDS - 1 C/O SCHNEIDER ELECTRIC	4
SCHNXPEA110	Single pedal without protective cover.2 entries for cable gland 1 ISO M20+1 ISO M16, 1 step, 1 contact "O + F"SCHNEIDER	9
SCHNXPEM110	Single foot switch - IP66 - without cover - metallic - blue - 1 NC + 1 NO SCHNEIDER	2
SCHNXPSAC5121	module XPSAC - Emergency stop - 24 V AC DC Schneider XPSAC5121	2
SCHNXS1M08PC410D	INDUCTIVE SENSOR XS1 M8 - L61MM - STAINLESS - SN1.5MM - 12..24VDC - M12 SCHNEIDER ELECTRIC	15
SCHNXS1M12KP340	INDUCTIVE SENSOR XS1 M12 - L50MM - BRASS - SN2MM - 12..24VDC - CABLE 2M SCHNEIDER ELECTRIC	10
SCHNXS1M18PC410D	Schneider Electric XS1M18PC410D Inductive sensor XS1 M18 - L60mm - brass - Sn5mm - 12..24VDC - M12	3
SCHNXS1M30KP340	INDUCTIVE SENSOR XS1 M30 - L60MM - BRASS - SN10MM - 12..24VDC - CABLE 2M SCHNEIDER ELECTRIC	2
SCHNXS1N12PB349D	Sensor inductivo 4,0 mm XS1N12PB349D Schneider	30
SCHNXS1N18PC410D	INDUCTIVE SENSOR XS1 M18 - L48MM - BRASS - SN5MM - 12..24VDC - M12 SCHNEIDER ELECTRIC	5
SCHNXS218BLPAL2	inductive sensor XS2 M18, L53mm, brass, Sn8mm, 12..24VDC, cable 2m	8
SCHNXS4P18AB120	Inductive sensor XS4 M18 - L41mm - PBT - Sn8mm - 12..24VDC - cable 2m Schneider Electric XS4P18AB120	6
SCHNXS4P18KP340	Inductive sensor XS4 M18 - L60mm - PPS - Sn8mm - 12..24VDC - cable 2m SCHNEIDER	11
SCHNXS4P18MA230	Schneider Electric XS4P18MA230 Inductive sensor XS4 M18 - L62mm - PPS - Sn8mm - 24..240VAC/DC - cable 2m	6
SCHNXS512B1PAM12	SENSOR DE PROXIMIDAD INDUCTIVO, RASANTE, 50mm, 4 PINES, CONECCION HEMBRA, 12/24 V DC, 200 mA	3
SCHNXS608B1PAL2	INDUCTIVE SENSOR XS6 M8 - L51MM - STAINLESS - SN2.5MM - 12..48VDC - CABLE 2M SCHNEIDER ELECTRIC	20
SCHNXS608B1PAM12	Inductive sensor XS6 M8 - L62mm - stainless - Sn2.5mm - 12..48VDC - M12 SCHNEIDER ELECTRIC XS608B1PAM12	8
SCHNXS612B1MAL2	INDUCTIVE SENSOR XS6 M12 - L53MM - BRASS - SN4MM - 24..240VAC/DC - CABLE 2M SCHNEIDER ELECTRIC	50
SCHNXS612B1MBL2	INDUCTIVE SENSOR XS6 M12 - L53MM - BRASS - SN4MM - 24..240VAC/DC - CABLE 2M SCHNEIDER ELECTRIC	6
SCHNXS612B1PAL2	INDUCTIVE SENSOR XS6 M12 - L53MM - BRASS - SN4MM - 12..48VDC - CABLE 2M SCHNEIDER ELECTRIC	17
SCHNXS612B1PAM12	Inductive sensor XS6 M12 - L62mm - brass - Sn4mm - 12..48VDC - M12 SCHNEIDER	23
SCHNXS618B1MAL2	INDUCTIVE SENSOR XS6 M18 - L62MM - BRASS - SN8MM - 24..240VAC/DC - CABLE 2M SCHNEIDER ELECTRIC	46
SCHNXS618B1MBL2	Inductive sensor XS6 M18 - L62mm - brass - Sn8mm - 24..240VAC/DC - cable 2m SCHNEIDER ELECTRIC	10
SCHNXS618B1PAL2	INDUCTIVE SENSOR XS6 M18 - L62MM - BRASS - SN8MM - 12..48VDC - CABLE 2M SCHNEIDER	8
SCHNXS630B1MBL2	INDUCTIVE SENSOR XS6 M30 - L62MM - BRASS - SN15MM - 24..240VAC/DC - CABLE 2M SCHNEIDER ELECTRIC	5
SCHNXS630B1PAL2	Inductive sensor XS6 M30 - L62mm - brass - Sn15mm - 12..48VDC - cable 2m SCHNEIDER	12
SCHNXS7C4A1MPG13	INDUCTIVE SENSOR XS7 40X40X117 - PBT - SN15 MM - 24..240VAC/DC SCHNEIDER ELECTRIC	6
SCHNXS7G12PA140	Inductive sensor XS7 12x40x26 - plastic - Sn2mm - 12..24VDC - cable 2m	1
SCHNXS8C4A1MPG13	INDUCTIVE SENSOR XS8 40X40X117 - PBT - SN20 MM - 24..240VAC/DC - TERMINALS SCHNEIDER ELECTRIC XS8C4A1MPG13	10
SCHNXS8C4A1PCG13	INDUCTIVE SENSOR XS8 40X40X117 - PBT - SN20 MM - 12..48VDC - XS8C4A1PCG13 SCHNEIDER ELECTRIC	2

SCHNXS8D1A1MAL2	INDUCTIVE SENSOR XS8 80X80X26 - PBT - SN60MM - 24..240VAC/DC - CABLE 2M SCHNEIDER ELECTRIC	2
SCHNXSAV11801	INTERR DI PROSSIMITA SCHNEIDER XSAV11801	11
SCHNXSAV12373	Rot. monitoring - M30 - Sn10mm - 120..3000c/mn - 12..48VDC - cable 2m SCHNEIDER ELECTRIC	4
SCHNXUB5APANM12	Sensor fotoeléctrico - luz difusa - sn 0,6 m - no - conector m12	7
SCHNXUB5APAWM12	PHOTO-ELECTRIC SENSOR - XUB - DIFFUSE - 90° - SN 0.6M - 12..24VDC - M12 SCHNEIDER ELECTRIC	5
SCHNXUK0AKSAM12	SCHNEIDER ELECTRIC XUK0AKSAM12 Photo-electric sensor - XUK - multi - Sn 0..30m - 12..24VDC - M12	14
SCHNXUK1ARCNL2	PHOTO-ELECTRIC SENSOR - XUK - REFLEX - SN 7M - 24..240VAC/DC - CABLE 2M SCHNEIDER ELECTRIC	5
SCHNXUM0APSAM8	FOTO SENSOR XUM0APSAM8 TELEMANIQUE SCHNEIDER	4
SCHNXUVE04M3KSNM8	Schneider Electric XUVE04M3KSNM8 Photoelec sensor label fork 40x3 - 12..24 V DC - PNP/NPN NO/NC connect M8	8
SCHNXUX0ARCTT16	PHOTO-ELECTRIC SENSOR - XUX - MULTI - SN 0..40M - 24..240VAC/DC - TERMINALS SCHNEIDER ELECTRIC	6
SCHNXUX9ARCNT16	Photo-electric sensor - XUX - polarised - Sn 11m - 24..240VAC/DC - terminals SCHNEIDER ELECTRIC XUX9ARCNT16	2
SCHNXUZC50	Accessory for sensor - reflector - 50 x 50 mm SCHNEIDER ELECTRIC	52
SCHNXVBC21	INDICATING BANK ACCESSORIES 70MM PART No. XVB-C21 MARCA SCHNEIDER ELECTRIC	1
SCHNXVBC2B8	Schneider Electric XVBC2B8 Illuminated unit for modular tower lights plastic yellow Ø70 steady integral LED 24 V AC/DC	4
SCHNXVBC33	lens unit - luz fija - verde - 250 V máx. XVBC33 Schneider	3
SCHNXVBC35	INDICATING BANK LENS 250V 10W SCHNEIDER ELECTRIC	2
SCHNXVBC4M4	lens unit - luz intermitente - rojo - 48-230 V CA XVBC4M4	3
SCHNXVBC9M	Schneider Electric XVBC9M Audible unit for modular tower lights, plastic, Ø70, buzzer	3
SCHNXVBL8B5	COLUMNA LUMINOSA ANARANJADO INTERMITENTE 2V 260mA	3
SCHNXZCC12FCM40B	INDUCTIVE SENSOR CONNECTOR XZ-CC12FCM40B SCHNEIDER ELECTRIC	76
SCHNXZCP0941L10	Pre-wired connectors XZ - straight female - M8 - 4 pins - cable PUR 10m SCHNEIDER ELECTRIC XZCP0941L10	7
SCHNXZCP0941L2	Pre-wired connectors XZ - straight female - M8 - 4 pins - cable PUR 2m SCHNEIDER ELECTRIC XZCP0941L2	4
SCHNXZCP1041L2	XZCP1041L2 Pre wired connectors XZ, elbowed female, M8, 4 pins, cable PUR 2 m Schneider	10
SCHNXZCP1141L5	Schneider Electric XZCP1141L5 Pre wired connectors XZ, straight female, M12, 4 pins, cable PUR 5 m	3
SCHNXZCP1241L10	PRE-WIRED CONNECTORS XZ - ELBOWED FEMALE - M12 - 4 PINS - CABLE PUR 10M SCHNEIDER ELECTRIC	2
SCHNZB2BE101	CONTACT BLOCK SCHNEIDER ELECTRIC	13
SCHNZB2BZ103	Body for control button - Ø 22 - 2NO ZB2BZ103 Schneider	1
SCHNZB4BD2	Cabecal interruptor selector, 2 posiciones, Ø 22mm, negro SCHNEIDER	60
SCHNZB4BG2	Cabecal interruptor selector de llave, 2 posiciones, Ø 22mm, negro ZB4BG2 SCHNEIDER ELECTRIC	35
SCHNZB4BJ2	Selector switch head, Harmony XB4, metal, black, 22mm, long handle, 2 positions, stay put ZB4BJ2 Schneider	10
SCHNZB4BK1233	Schneider Electric ZB4BK1233 Harmony 22mm Push Button illuminated selector switch head 2 position maintained green	8
SCHNZB4BK1333	Illuminated selector selector head -3 positions - Ø 22 - green SCHNEIDER	1
SCHNZB4BK1343	Illuminated selector switch head, metal, red, Ø22, integral LED, 3 positions, stay put SCHNEIDER ELECTRIC	5
SCHNZB4BS834	Harmony XB4 - Cabeza seta 30mm.emergenciac ZB4BS834 Schneider	1

SCHNZB4BS844	Cabezal de seta parada de emergencia Ø 40mm, girar para liberar, Ø 22mm, rojo ZB4BS844 SCHNEIDER ELECTRIC	41
SCHNZB4BV03	GREEN PILOT LIGHT HEAD Ø22 WITH PLAIN LENS FOR BA9S BULB SCHNEIDER ELECTRIC	13
SCHNZB4BVB3	Cuerpo para luz piloto, ZB4, LED integrado verde, 24 V	2
SCHNZB4BZ101	bloque de contactos, con collar de montaje, 1 NA ZB4BZ101 SCHNEIDER	102
SCHNZB4BZ102	cuerpo pulsador - Ø 22 - 1 NC ZB4BZ102 SCHNEIDER ELECTRIC	44
SCHNZB4BZ104	SINGLE CONTACT BLOCK WITH BODY/FIXING COLLAR 2NC SCREW CLAMP TERMINAL SCHNEIDER ELECTRIC	1
SCHNZBE101	Single contact block for head Ø22 1NO silver alloy screw clamp terminal SCHNEIDER	219
SCHNZBE102	SINGLE CONTACT BLOCK FOR HEAD Ø22 1NC SILVER ALLOY SCREW CLAMP TERMINAL SCHNEIDER ELECTRIC	82
SCHNZBVB3	SCHNEIDER ELECTRIC ZBVB3 GREEN LIGHT BLOCK FOR HEAD Ø22 INTEGRAL LED 24V SCREW CLAMP TERMINALS	3
SCHNZBVB4	BLOQUE DE ILUM LED PULSA 22M ROJO BA9S - 24V - XB4 PART No. ZBVB4	4
SCHNZBVBG1	BLOQUE LUMINOSO LED BLANCO 24-120Vac-dc PART No. ZBV-BG1 TELEMECANIQUE	2
SCHNZCEF2	TESTA PULS ROT ACC M12 ZCEF2 SCHNEIDER ELECTRIC	4
SCHNZCKD219	Limit switch head, XC Standard, ZCKD, thermoplastic roller lever plunger with protective boot ZCKD219 Schneider	2
SCHNZCKE05	Limit switch head ZCKE - without lever left and right actuation SCHNEIDER	42
SCHNZCKJ1	Limit switch body ZCKJ - fixed - w/o display - 1NC+1NO - snap action - Pg13 SCHNEIDER ELECTRIC ZCKJ1	14
SCHNZCKY41	Limit switch lever ZCKY - th.plastic roller lever variable length - -40..70°C SCHNEIDER ELECTRIC ZCKY41	1
SCHNZCKY59	LIMIT SWITCH LEVER SCHNEIDER ZCKY59	15
SCHNZCMD21	Limit switch body ZCMD - 1NC+1NO - silver - snap action SCHNEIDER	6
SEAL2111	Sea Bearing Insert, Standard Duty, Setscrew Locking Collar, Felt Seals, 1-11/16" Bore, 85mm OD, 1-15/16" Width, 1-3/32"	3
SENN1500832102	CABLE P/TERMOCUPLA P/TYPE SE 660 D # 71720/71741 SENNINS/N 00118208 PART No.1500832102	4
SEW1842242	FAN DFT63 SEW	1
SHNEXUVH0312	PHOTOSENSOR EMITTER-RECEIVER 30mm FIXED ADJUSTMENT RED LIGHT XUVH0312 SCHNEIDER ELECTRIC	6
SICK1016102	OPTIC ELECTRONIC 4-PIN M12 CONNECTOR WL12-2P430 SICK	1
SICK1017432	INDUCTIVE PROXIMITY SENSOR IM18-05BPS-ZCK - SICK 1017432	4
SICK1017855	PHOTOELECTRIC SENSOR OF PROXIMITY WT24-2V510 SICK	2
SICK1018252	Reflex Photoelectric WL12L-2B530 1018252 Sick	1
SICK1030014	ATM60-P1H13X13 ABSOLUTE ENCODER SICK	1
SICK1036356	INCREMENTAL ENCODER DFS60E-BEEM01024 1036356 SICK	3
SICK1040696	FOTOSENSOR SUPRESOR FONDOS 4-50mm LUZ ROJA LED PIN-POINT PNP WTV4-3P344S38 SICK	3
SICK1040766	Inductive Proximity Sensors IME12-04BPSZW25 SICK	1
SICK1040869	Inductive proximity sensors IME08-02BPSZT0K Sick 1040869	1
SICK1040870	1040870 IME08-02BPSZT0S - Inductive Sensor Sick	2
SICK1040999	inductive sensor IME30-10BPSZW2K SICK	4
SICK1041386	Photoelectric Sensor, 10-30VDC, 100mA WL11-2P1130 SICK	3

SICK1041390	Photoelectric sensor reflex WL11G-2B2531 SICK	5
SICK1059752	Sensors for C-slot cylinders MZC1-4V3PS-KP0 Sick 1059752	4
SICK1062201	Contrast Sensor KTM-WP11182P SICK	6
SICK1115762	SENSOR FOTOELECTRICO Sn 10m 10 V DC ... 30 V DC WLA16P-24862130A00 SICK	7
SICK5320565	REFLECTORS/OPTICS REF-DG SICK	4
SICK6010610	Fotocélulas compactas WL250-P430 6010610 Sick	3
SICK6011047	Fotocélula de detección sobre objeto, Supresión de fondo WT150-N460 Sick 6011047	9
SICK6011050	Fotocélula de detección sobre objeto, Supresión de fondo WT150-P460 SICK 6011050	2
SICK6011991	SENSOR INDUCTIVO 5.0 mm IM1805BPSZC1	17
SICK6013527	PHOTOELECTRIC REFLEX SENSOR VL18-3P3140 SICK	2
SICK6013587	PHOTOELECTRIC REFLEX SENSOR VL18-4P3440 SICK	4
SICK6020476	Capacitive proximity sensors CM30-25NPPKW1 SICK	4
SICK6022012	DOL-0803-W10M CONNECTOR CABLE, M8 FEMALE 90 DEGREE, 3 PIN, 10M PVC CABLE SICK	2
SICK6022751	Photoelectric sensor through-beam WS/WE160-F132 SICK	1
SICK6022772	WL160-F430 PHOTOELECTRIC SENSOR SICK	2
SICK6025679	Inductive proximity sensors IM12-04BPS-ZCK Sick 6025679	5
SICK6026558	WL190L-P430 PHOTOELECTRIC REFLEX SENSOR SICK	1
SICK6027946	DOL-1204-L10M CONNECTOR CABLE, M12, FEMALE, 4 PIN, ANGLED, LED, 10M PVC CABLE SICK	1
SICK6044699	PHOTOELECTRIC RETRO-REFLECTIVE SENSOR WL 250-2P2431 SICK	4
SICK7900033	Inductive Sensor IM12-04BPS-ZW1 SICK	1
SICK7900268	Magnetic proximity sensors MM12-60APS-ZU0 SICK	1
SICK7902925	Sensor, Inductive Proximity; 4 Wire; 4-Pin Connection IM12-04NPP-ZC1 SICK	2
SICKWTA24P5201	Photoelectric Proximity Switch 12-30Vdc WTA24-P5201 Sick	1
SIEM3NA38076	Fusible cassette NH, NH000, In: 20 To, gG, An AC: 690 V, A DC: 250 V, Indicator of merger. SIEMENS	5
SIEM3RG40123AF33	INDUCTIVE SENSOR M12, 3-WIRE, PNP NC, 15..34VDC, SN=2MM, 200MA, M12 CONNECTOR, NICKEL-PLATED SIEMENS 3RG4012-3AF33-PF	5
SIEM3RT10151BB41	Contactora:3-polar; Contactos auxiliares: NO; 24VCC; 7A; NO x3 SIEMENS	6
SIEM3RT10231AG20	contactor, type 3RT10,3P,3PH,9A, 600V,3HP @ 230V,5HP@ 460V,7.5HP@ 575V,4kW@400V, complete with 110V AC coil SIEMENS	1
SIEM3RT10231AN20	contactor,type 3RT10,3P,3PH,9A,600V,3HP@230V,5HP@460V,7.5HP @ 575V, complete with 220V AC 50/60Hz coil SIEMENS	1
SIEM3RV10111AA10	INTERRUPTOR AUTOM TAMAÑO S00, CLASE 10 DISPARADOR DE CORTOCIRCUITO 21 A BORNE DE TORNILLO PODER	1
SIEM3SE51120CH50	Position switch Metal enclosure 40 mm according to EN 50041 Device connection 1x (M20 x 1.5) 1 NO/1 NC SIEMENS	1
SIEM5SY45047	5SY4 MCB Mini Circuit Breaker, 1 + N, 4 To, 10 kA, Curls C SIEMENS	2
SIEM6EP14362BA10	FUENTE ALIMENTACION PSU300S 24 V/20 A SIEMENS PART No. 6EP1436-2BA10	6
SIEM6EP19312EC31	SITOP DC-USV Module 24 V/15 A Uninterrupted Power supply With serial interface input: DC 24 V/16 A output: DC 24 V/15 A	1
SIEM6ES73211BH020AA0	SIMATIC S7-300, SM 321, 16 DI, 24 V DC, 1x 20	1



SIEM6ES79720BB120XA0	SIMATIC DP, Connection plug for PROFIBUS up to 12 Mbit/s 90° cable outlet, Siemens 6ES7972-0BB12-0XA0	4
SIEM6ES79720BB420XA0	SIMATIC DP, Connection plug for PROFIBUS up to 12 Mbit/s with inclined cable outlet, 15.8x 54x 39.5 mm SIEMENS	1
SIEMS54320F4A2	PHOTOELECTRIC ADDRESSABLE SMOKE DETECTOR OP921 S54320-F4-A2- SIEMENS	28
SIRAL330V03A-Z610A	Válvula soneloide SIRAI L330V03A-Z610A F1.6 24VDC	1
SKF23028CCW33	Bearings of spherical rollers SKF	1
SKF24028CCW33	Spherical Roller Bearing with Cylindrical Bore 140x210x69 SKF	1
SKF60052RS1	Radial/Deep Groove Ball Bearing - Round Bore, 25 mm ID, 47 mm OD, 12 mm Width, SKF	10
SKF6184R799	Radial/Deep Groove Ball Bearing - Round Bore, 4 mm ID, 9 mm OD, 2.5 mm Width SKF	6
SKF62042RS1	S/S Deep Groove Bearings 20mmID, 47mmOD SKF	133
SKF62052RS1	Radial/Deep Groove Ball Bearing - Solid-Oil Filled - Round Bore, 25 mm ID, 52 mm OD, 15 mm Width, Double Sealed SKF	5
SKF63042Z	Ball bearing SKF, Deep Groove SKF	5
SKF63052RS1	Ball bearing , Deep Groove SKF	30
SKF63052Z	Radial/Deep Groove Ball Bearing - Round Bore, 25 mm ID, 62 mm OD, 17 mm Width, Double Shielded SKF	29
SKFN311ECMBP6	CYLINDRICAL CUSHION OF BALLS SKF	1
SKFNUR40A	Crowned Cam Follower - NUKR Series, Sealed,40 mm Roller Dia,20 mm Roller Width,18 mm Stud Dia,36.5 mm Stud Length SKF	1
SKFNURK35A	Crowned Cam Follower - NUKR Series, Sealed, 35 mm Roller Dia,18 mm Roller Width, 16 mm Stud Dia, 32.5 mm Stud Length SKF	4
SKFR1660HH	Shielded Ball Bearing 6x16x5mm SKF	2
SMCAR30-N03	REGULADOR PRESIÓN ESPECIAL MODELO AR30-N03 MARCA SMC	1
SMCAS2201F-N02-06S	REGULADOR DE FLUJO MODELO AS2201F-N02-06S MARCA SMC	1
SMCKQ2H0700	CONECTOR RECTO 1/4" SMC	2
SMCT0806W	MANGUERA NYLON 6X8MM SMC T0806W	50
SNS2W02508DC24V	SOLENOID VALVE 2/2 WAY 2W025-08/DC24V 1/4 SNS PNEUMATIC	3
SNS2W16015DC24V	SOLENOID VALVE 2/2 WAY 2W160-15/DC24V 1/2 SNS PNEUMATIC	1
SNS2W25025AC110V	SOLENOID VALVE 2/2 WAY 2W250-25/AC110V 1" SNS PNEUMATIC	3
SNS32/100PPVA	CYLINDER SERIE DNC-32-100-PPV-A SNS PNEUMATIC	1
SNS32/80PPVA	CYLINDER SERIE DNC-32-80-PPV-A SNS PNEUMATIC	1
SNS40/100PPVA	CYLINDER SERIE DNC-40-100-PPV-A SNS PNEUMATIC	1
SNS40/80PPVA	CYLINDER SERIE DNC-40-80-PPV-A SNS PNEUMATIC	1
SNS4V21006AC110V	SOLENOID VALVE 4V210-06/AC110V-1/8 SNS PNEUMATIC	1
SNS4V21006AC24V	SOLENOID VALVE 4V210-06/AC24V - 1/8 SNS PNEUMATIC	3
SNS4V22006AC110V	DOUBLE COIL SELENOID VALVE 1/8 4V220-06/AC110V SNS PNEUMATIC	1
SNS4V22006AC24V	DOUBLE COIL SELENOID VALVE 1/8 4V220-06/AC24V SNS PNEUMATIC	1
SNS4V22008AC110V	DOUBLE COIL SELENOID VALVE 1/4 4V220-08/AC110V SNS PNEUMATIC	1
SNS50/100PPVA	CYLINDER SERIE DNC-50-10-PPV-A SNS PNEUMATIC	1

SNS50/30PPVA	CYLINDER SERIE DNC-50-30-PPV-A SNS PNEUMATIC	1
SNS50/80PPVA	CYLINDER SERIE DNC-50-80-PPV-A SNS PNEUMATIC	1
SNSKQ2G1012	PLUG CONNECTOR KQ2G10-12 SNS PNEUMATIC	20
SNSKQ2G46	PLUG CONNECTOR KQ2G4-6 SNS PNEUMATIC	20
SNSKQ2G68	PLUG CONNECTOR KQ2G6-8 SNS PNEUMATIC	18
SNSKQ2G810	PLUG CONNECTOR KQ2G8-10 SNS PNEUMATIC	19
SNSSPU10	PLUG CONNECTOR SPU-10 SNS PNEUMATIC	14
SNSSPU6	PLUG CONNECTOR SPU-6 SNS PNEUMATIC	17
SNSSPU8	PLUG CONNECTOR SPU-8 SNS PNEUMATIC	11
SPRAAA7271415	WINDJET NOZZLE ABS. AA 727-1/4-15 - SPRAYING SYSTEMS	88
SPRAAA72714SS15	WINDJET NOZZLE 316SS AA727-1/4-SS-15 SPRAYING SYSTEMS AA727-SS-15	19
SPRAH18VVS650033	VEEJET NOZZLE,ST.STL SPRAYING SYSTEM	140
STAMAVKAS440	AVR AS440 REGULATORY AUTOMATIC MODULE OF VOLTAGE Fits Stamford Generator Genset	1
STROAD1622DS	LED Indicator Light Yellow STROMELEC	1
SYDB07H9WJG42	Acople motor reductor de aluminio flexible	1
TCM28477TC	ESTOPERA 28X47X7mm TCM	6
TCM40X62X7-TC	ESTOPERA 40C62C7MM TCM	1
TELC SMP7600TS5	Photoelectric Sensors Diffuse Proximity 10 - 30 V dc NPN/PNP M18 x 1 Stainless Steel 5 m cable SMP7600TS5 telco	1
TELC SMP8800PG25M	PROXIMITY SWITCH 20-250VAC 0-50CM RANGE 2.5M TELCO	1
TELTRUGT300R	GT300R-TEL TRU INGARD TERMOMETRO 0 °C/100 °C BIMETALICO DIAL 3" AI CONEXION CBM 1/2" NPT BUL 4" x 1/4"	2
TETR3157510119	EXTERIOR RETAINER INOXI TETRA PAK	15
TETR901410016	RETAINER EXTERIOR INOXI 10x 1.00mm DIN-471 TETRA PACK	8
TIMK9320D	Tapered Roller Bearing Cup - Double Cup, 7.0000 in OD, 2.9375 in Width, Non-Flanged Cup TIMKEN	1
TIMKHH228310	PISTA HH228310 TIMKEN	1
TIMKHM926710	CUP TIMKEN	1
TIMKHM926740	CONE TIMKEN	2
TIMKHM926740XAEP008	ESPACER EP008 TIMKEN	1
TMC7051850	CORREO (REEMPLAZO DE 7000207) TMC	1
TORRBHA1616Z	RODAMIENTO BHA1616Z TORRINGTON	12
TORRHJ243316IR-202416	BEARING WITH NEEDLE AND TRACK TORRINGTON	4
TP8X11STD	Paper heat seal set up 8X11 STD x Package of 100 sheets -TP PAPER 8X11 STD-TIPI PAPEL	3
TRAEWD9008006	Thermometer with Clock and Humidity Monitor, 32 to 122°F, 0.1°F Temp Resolution, 20 to 90% WD-90080-06 Traceable	1
TURCNI20K40SRVP4X2	SENSOR INDUCTIVO TIPO NC-NA 10-65 Vdc	2
VESTES2W1SM1800000	valve 5/2, G1 / 8 ", spring return, without coil (MS) VESTA	1

VESTMS02400	VALVE 24VDC 4,5W MS 02400 VESTA	1
VIDE165600Q	Inkjet Printer ink Videojet	18
VIDE375037	CABLED EXTERNAL VIDEO JET	2
VIKI231200180415	EMPACADURA TROQUELADA COVERS BOMB VIKING	2
VIKI247300999900	SELLO MECANICO 2-473-009-999-00 VIKING	2
VIKI247301899900	SELLO MECANICO 2-473-018-999-00 VIKING	1
VIKI247786999900	VITON MECHANICAL SEAL VIKING	1
VILT1643C	Vilter 1643C, Switch 20-100# UNLD & HP Cutout Ammonia	6
WARA57M7542	Deere Elec. Terminal Connector WARATAH	20
WARAF018112	BEARINGS WARATAH	2
WARAF055148	Socket #16, Gilded 0,8-1,3mm WARATAH	1
WARAT77613	O-Ring WARATAH	10
WARAU42902	PACKING ,O-RING WARATAH	2
WATL4OZ	LUBRICADOR PARA RESISTENCIA 4OZ WATLUBE	1
WATW93BA1DD000GR	CONTROLADOR Dx48mm PANTALLA DOBLE 4 DIGITOS LEDS ROJO-VERDE WATLOW	1
WEIS40614N05BARGLVS	Manometro 4061 2 1/2", tipo bayoneta,conexión proceso posterior baja 1/4" NPTM, (0 a 5)bar. Weisz	1
WEIS41004N05BARGLVS	4100 Manometro 4" tipo bayoneta,bourdon,conexión a proceso inferior 1/4" NPTM,(0 a 5) bar Weisz	1
WEIS41012N025BARAS	Manometro modelo 4101 4" tipo bayoneta , bourdon, conexion posterior baja 1/2" NPTM 0 A 25bar.AS Aceite Silicona Weisz	1
WENGBW2SG2V12M	Cable connector M12 x 1; 4-pins WENGLOR	4
WIK52995170	Flush pressure transmitter S-11 ; 0/60 psi; 0 ... 10 V, 3-wire	8
WIKAS2757549	Process Gauge, lower mount, 0/60 psi, Silicone, 52757549 Wika	2
WIKAS5137890	TERMOWELL 15-M 1/2 NPT female U=4.5 inch B=0.260 inch (6.6 mm) SS316/316 55137890 WIKA	3
WIKAS67272961	TERMOMETRO 0 °C/100 °C BIMETALICO DIAL 5" AI 1/2" NPT BULBO 6" x1/4" WIKA WITH THERMOWELL 55137890	1
WIKAS9692007	Gauge 0-60 PSI 2nd scale bar 1/4 NPT lower mount, Glycerine, 9692007 Wika	10
WIKAS9692040	Pressure Gauge, 0-300 PSI, 2.5" Dial WIKA	2
WIKAS9692083	Bourdon tube pressure gauges, 0/1500 psi 1/4 NPT Glycerine 9692083 WIKA	1
WIKAS9692091	MANOMETRO 0/2000psi 0/140bar 2-1/2"x1/4 NPT CONEXION INFERIOR DIVISION 50psi/5bar CON GLICERINA	4
WIKAS9735130	232.54.063 60 psi 2nd scale bar 1/4 NPT lower mount Measuring System 316 SS 9735130 wika	1
WIKAS9738266	MANOMETRO DIAL 1-1/2; 0-100 PSI CONEX TRASERA 1/8 NPT C/GLICERINA	4
WIKAS9767088	Pressure Gauge, 0-300 PSI, 2.5" Dial WIKA 1/4 NPT conexion inferior modelo 213.53.050/063 con Glicerina Case: 304 Stainl	1
WIKAS9834834	WIKAS Type 232.34 Dry Case Process Gauge - 0 - 100 psi - 9834834 4 1/2" (115 mm) Diameter - 1/2" NPT Connection	1
WILKB18C4FGG0	FILTER REGULATOR RELIEVING / AUTO. DRAIN / GAUGE 0-11 BAR, PIPE SIZE ½, FLOW 57 dm3/s, WILKERSON B18-C4-FGG0	1
WILKF0802SK00	PNEUMATIC AIR FILTER MAX 150 PSI 1/4" NPT 5 MICRON, WILKERSON F08-02-SK00, F08-02SK00	1
WOOD038971	Shaft Assy, Blade Guide Mount (REEMPLAZO DE 035408 Y 035427 ) WOOD MIZER	3

WOODP12570	Spring, Drum Switch 2917x16 > WOOD MIZER	2
YORK02427322107	MOTOR, FAN CONDENSER YORK	2
YORK02547670000	SENSOR TEMP. LIQUID 1 YORK	1
YORK02641594000	FAN, IMPELLER 900MM YORK	3